Tetrahedron: *Asymmetry*

The International Journal for Rapid Publication on all Aspects of Asymmetry in Organic, Inorganic, Organometallic, Physical and Bio-organic Chemistry

Editor-in-Chief: **STEPHEN G. DAVIES**, *University of Oxford, Oxford, UK*
Chairman of the Executive Board of Editors for Tetrahedron Publications: Sir Derek Barton, *Texas A&M University, USA*

SUBJECT INDEX AND AUTHOR INDEX
Volume 2 (1991)

Pergamon Press Oxford New York Seoul Tokyo

Tetrahedron: *Asymmetry*

The International Journal for Rapid Publication on all Aspects of Asymmetry in Organic, Inorganic, Organometallic, Physical and Bio-organic Chemistry

Editor-in-Chief: **Dr S. G. DAVIES,** Dyson Perrins Laboratory
South Parks Road, Oxford OX1 3QY, UK
Fax: (44) 865 275633

EXECUTIVE BOARD OF EDITORS FOR TETRAHEDRON PUBLICATIONS

Chairman: **Professor Sir Derek Barton, FRS,** Department of Chemistry, Texas A and M University, College Station, Texas 77843-3255, USA

Professor J. E. Baldwin, FRS, Dyson Perrins Laboratory, Oxford, UK
Professor D. L. Boger, Department of Chemistry, The Scripps Research Institute, La Jolla, CA 92037, USA
Professor L. Ghosez, Laboratoire de Chimie Organique de Synthèse, Université Catholique de Louvain, B-1348 Louvain-la-Neuve, Belgium
Professor S. Ito, Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yamashiro-cho, Tokushima 770, Japan
Professor A. R. Katritzky, FRS, Department of Chemistry, University of Florida, Gainesville, FL 32611, USA
Professor N. K. Kochetkov, N.D. Zelinsky Institute of Organic Chemistry, Academy of Sciences USSR, Leninsky Prospekt 47, Moscow B-334, USSR
Professor A. McKillop, University of East Anglia, School of Chemical Sciences, University Plain, Norwich NR4 7TJ, UK
Professor A. Nickon, Department of Chemistry, The Johns Hopkins University, Baltimore, MD 21218, USA
Professor W. D. Ollis, FRS, Department of Chemistry, University of Sheffield, Sheffield, S3 7HF, UK
Professor G. Ourisson, Centre National de la Recherche Scientifique, Centre de Neurochimie, 5 rue Blaise Pascal, 67084 Strasbourg Cedex, France
Professor T. Shioiri, Faculty of Pharmaceutical Sciences, Nagoya City University, Tanabe-dori, Mizuho-ku, Nagoya 467, Japan
Professor W. Steglich, Institut für Organische Chemie und Biochemie der Universität Bonn, D-5300 Bonn 1, Gerhard-Dogmagk-Strasse 1, Germany
Professor H. H. Wasserman, Department of Chemistry, Yale University, PO Box 6666, New Haven, CT 06511, USA
Professor W. T. Wipke, Thimann Laboratories, University of California, Santa Cruz, CA 95064, USA

BOARD OF CONSULTING EDITORS

F. Arcamone, Florence
D. Arigoni, Zurich
A. R. Battersby, Cambridge
A. L. J. Beckwith, Canberra
A. J. Birch, Canberra
R. Breslow, New York, NY
H. C. Brown, Lafayette, IN
J. M. Brown, Oxford
H. Brunner, Regensburg
A. Collet, Lyon
E. J. Corey, Cambridge, MA
J. W. Cornforth, Brighton
P. Deslongchamps, Quebec
M. J. S. Dewar, Gainesville, FL
C. Djerassi, Stanford, CA
W. von E. Doering, Cambridge, MA
J. E. Dubois, Paris
J. Elguero, Madrid
D. Enders, Aachen
A. Eschenmoser, Zurich
G. Fodor, Morgantown, WV
C. Gennari, Milan
A. González González, Tenerife
L. M. Harwood, Oxford
T. Hayashi, Sapporo
G. Helmchen, Heidelberg
Y. Hirata, Nagoya
R. Huisgen, Munich
W. S. Johnson, Stanford, CA
J. B. Jones, Ontario
H. B. Kagan, Orsay
A. Kjaer, Lyngby
V. A. Koptyug, Novosibirsk
R. U. Lemieux, Alberta
X. T. Liang, Beijing
P. de Mayo, Ontario
J. Michalski, Lodz
M. L. Mihailovic, Belgrade
K. Mori, Tokyo
T. Mukaiyama, Tokyo
K. Nakanishi, New York, NY
T. Norin, Stockholm
R. Noyori, Nagoya
S. Nozoe, Sendai, Japan
W. Oppolzer, Geneva
H. Paulsen, Hamburg
P. Potier, Gif-sur-Yvette
S. K. Pradhan, Bombay
A. J. Pratt, Oxford
V. Prelog, Zurich
G. Quinkert, Frankfurt
R. A. Raphael, Cambridge
C. W. Rees, London
J. D. Roberts, Pasadena, CA
A. I. Scott, College Station, TX
K. B. Sharpless, La Jolla, CA
G. Snatzke, Bochum
G. Solladie, Strasbourg
H. A. Staab, Heidelberg
G. Stork, New York, NY
Sukh Dev, New Delhi
W. Tochtermann, Kiel
A. Todd, Cambridge
H. G. Viehe, Louvain-la-Neuve
E. Vogel, Cologne
P. von Ragué Schleyer, Erlangen
Y. Wang, Shanghai
G. H. Whitham, Oxford
K. B. Wiberg, New Haven, CT
S. B. Wild, Canberra
E. Winterfeldt, Hannover
H. Yamamoto, Nagoya
N. S. Zefirov, Moscow

Publishing, Subscription and Advertising Offices: Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, UK (Phone: 0865 794141; Fax: 0865 60285) and Pergamon Press Inc., 395 Saw Mill River Road, Elmsford, New York, 10523, USA (Phone: 914 592 7700; Fax: 1914 592 3625).

Twelve issues per year
Tetrahedron: Asymmetry is included in subscriptions to *Tetrahedron* but can also be ordered separately.

Annual Subscription Rates
Annual Institutional Subscription Rate (1992): £295 (US $535). Two-year Institutional Rate (1992/93): £560.50 (US $1016.50). Sterling prices are definitive. US dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Prices include postage and insurance and are subject to change without notice.
Subscription rates for Japan are available on request.

Specially Reduced Rates to Individuals
In the interests of maximising the dissemination of the research results published in this important international journal we have established a two-tier price structure. Any individual whose institution takes out a library subscription may purchase a second or additional subscription for personal use, rates available from your nearest Pergamon Office.

Microform Subscriptions and Back Issues
Back issues of all previously published volumes are available direct from Pergamon Press offices.

The paper used in this publication meets the minimum requirements of American National Standard for Information Sciences—Permanence of Paper for Printed Library Materials. ANSI Z39.48-1984.

Copyright © 1992 Pergamon Press plc
It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organisations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying Information for Users in the USA
The Item-Fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying, beyond that permitted by Section 107 or 108 of the United States Copyright Law, is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for Other Use
The copyright owner's permission does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-Fee Code for this publication is: 0957-4166/91 $3.00 + .00

Subject Index 1991

Acetals
2-hydroxy alkyl aryl-, 1,2-aryl migration with PPh3/CC14, syntheses of optically active ibuprofen and naproxen, 251
glycerol-, resolution by complexation with host from tartaric acid, 983

Acetonides
α-hydroxy-δ-altrono-lactones, 901
heptonolactones as powerful chirons, 883

Acylation
lipase-catalyzed enantioselective-, synthesis of 4 stereoisomers of α-aryl-4-piperidine-methanol deriv, 113

Addition reactions
(+)-(S)-1-t-butylsul—fonyl-1-p-tolylsulfinyl-ethene and t-butyl cyclopentadiene, 93
amine to 5(*R*)-menthyl oxy-2[5H]-furanone, asymmetric synthesis of β-lactams, 775
asymmetric 1,4-, 5-deoxy-5-alkyl-1,2-O-isopropylidene-α-D-xylofuranoses as chiral auxiliaries, 879
asymmetric 1,4-, to γ-menthyloxybuteno-lides, enantioselective synthesis of lignan type compds, 109
asymmetric conjugate-organometallic reagents to chiral αβ-unsat esters, 389
asymmetric Michael-, chiral enamines (derived from 2,4-diketopiperidine) to methyl acrylate, 407
asymmetric Michael-, chiral imines to phenyl vinylsulfone, chiral buildindg blocks for *Aspido sperma* and *hunteria* alkaloids, 199
conjugate-, MeLi and MeMgI2 to benzyl ideneacetone using chiral copperarene- thiolate, 1097
conjugate-,Ni-catalyzed, diethyl-Zn to chalcone, asymmetric amplification, 701
cyclopentadiene, clay-catalysed asymmetric reaction with (-)-menthyl acrylate, 953
diethylzinc to alde- hydes, polymer bound chiral catalyst with methylene spacer, 97
lithium-N(3,4-dimethoxybenzyl) α-methyl-benzamide, stereo-selective addition to *E*-crononate esters, 183
Michael-, chiral β-enamino esters to methyl vinyl ketone, synthesis of optically active αα-disubstit β-keto esters, 411
nucleophilic-, to bis-epoxide,(-)-2,3- 0-iso-propylidene- 2,3-dihydroxy-1,4-bis(diphenylphos phino) butane, prep, 172
nucleophilic-, to resolved homochiral tricarbonyl(η6-o-anisaldehyde)Cr, prep of α-substit *o*-methoxybenzyl alcohols, 139
radical-, to double bonds, stereo-selectivity, 793

Alcohols
(*R*)-1-azido-3-naphthyloxy-2-hydroxypropane, one-pot synthesis, 437
allylic-, asymmetric epoxidation and osmylation of al- kenes, mechanisms, 515
allylic-, Sharpless epoxidation, kinetic resolution with enhanced product, enantiomeric excesses and yields, 511
chiral 2-alkyl-branched-, prep and stereospecific flavour, 965
enantiomerically pure homoallylic pinene-, route via myrtenyl bromide and aldehydes, 779
enantiopurity measure ment using P NMR, 1127
fluorinated allylic-, asymmetric epoxidation, 223
o-methoxybenzyl-, homochiral α-substit via additions to re-solved homochiral tricarbonyl(η6-*o*-anisaldehyde) Cr, 139
optically active erythritol derivs, synthesis, 329
optically active-, via enantioselective oxidation of β-hydroxythioethers, 257
recognition of asymmetric C atom attached to OH methylene group by chiral 1,1'-bi-naphthyl-2,2'-diyl phosphoryl chloride, 763
sec-, resolution by complexation with host from tartaric acid, 983
with C2 symmetry, (*S,S,S,S*)-tricyclo-[6.3.0.0^{3,7}]und ecan- 2-ol, 1063

Aldehydes see also Enals
addition to diethylzinc, polymer bound chiral catalyst with methylene spacer, 97
alkylation with diethylzinc and ephedrine derived catalyst, 1123
and myrtenyl bromide, route to enantio merically pure homoallylic pinene alcohols, 779
aromatic-, asymmetric alkylation by diethyl zinc with(*S*)-N,N,-N',N'-tetramethyl-2,2'-diamino -1,1'-bi—naphthyl, 363
catalytic asymmetric aldol reaction with silyl enol ether of acetic acid thioester using chiral Sn Lewis acid, 635
glyceraldehyde acetonide, aldol reaction with ketene silyl acetals, asymmetric route to monosaccharides, 993
Rh/chiral diphosphine catalysed asymmetric hydroformylation of N-acyl-1-amino- acrylic acid derivs, 623

Aldol reactions
catalytic asymmetric-, silyl enol ether of acetic acid thioester with aldehydes using chiral Sn Lewis acid, 635

dialkylboron enolates of 1,3–dipropionyl–*trans*–4,5–diphenylimidazolidin–2–one, with aldehydes, synthesis homochiral 1,3–diols, 1001
glyceraldehyde acetonide with ketene silyl acetals, asym–metric route to monosaccharides, 993

Alkaloids
(5*Z*,8*E*)–3–heptyl–5–methylpyrroli zidine, chirospecific synthesis, 351
Aspidosperma and *hunteria*–, via adducts of chiral imines with phenyl vinylsulfone as chiral buildindg blocks, 199
indole–, vi aasym– metric Michael addition, chiral enamines (derived from 2,4–diketo–piperidine) to methyl acrylate, 407
necine bases, synthesis of optically active Geissman–Waiss lactone, key inter– mediate, 445

Alkenes see also Olefins
chiral sulfinyl– ethenes, asymmetric 1,3–dipolar cyclo–addition with 1–methyl–3–oxidopyridinium and nitrones, 1379
enantiomerically pure (*Z*)– and (*E*)–, (*Z*)–RCH=CHR* and (*E*)=RCH=CHR* via organoboranes, 277
enantioselective hydroborations catalyzed by Rh complexes, 613
osmylation, and asymmetric epoxi– dation of allylic alcohols, mechanms, 515
stereoselective [2+2] photocycloaddition to chiral 2(5H)–furan– ones, 1391

Alkylation
aldehydes with diethylzinc and ephedrine derived catalyst, 1123
asymmetric allylic–, catalyzed by phos– phine–Pd complexes, synthesis of phos–phinocarboxylic acids, 667
asymmetric allylic–, catalyzed by Pd– sparteine complexes, 683
asymmetric allylic–, Pd–catalysed using dimethyl malonate and derivs as nucleo– phile, 663
asymmetric–, aromatic aldehydes by diethyl zinc with(*S*)–N,N,–N',N'–tetramethyl–2,2'–diamino –1,1–bi– naphthyl 363
asymmetric–, N–acyl dihydropyrimidinones, 105

Alkyl halides
(*R*)–(–)–1,1,1–trichloro–2–hydroxy –4–methyl–3–pentene, bio–catalytic prep, syn– thon for pyrethroids, 239

Aluminium compounds
Al(0–*i*–Pr)3 orTi(0)– *i*–r)4, mediated ring–opening of chiral glycidyl derivs, access to C3 building blocks, 437
alumina, effect on Diels–Alder reactions of cyclopentadiene with menthyl acrylate and dimenthyl fumarate, 1283
lithium trialkoxy–aluminohydrides, hindered,diastereo– selective reduction of (–)–mentylphenylgyloxalate and (–)– menthylpyruvate, 771

Amides
alaninamides via enantioselective reaction of 2–bromopropanamides with prim, sec or tert amines, 1111
carboxamides, α,β–unsaturated, enantioselective conjugate reduction with semocorrin cobalt catalysts, 691
homochiral lithium amide bases, use in asymmetric synthesis, Report, 1
lithium–*N*–(3,4–dimethoxybenzyl) α–methylbenz–amide, stereo–selective addition to *E*–crononate esters, 183
via one–step high yield conversion of esters, 1165

Amines
2–propanol–, enantioselective esterification, lipase–catalyzed resolution, 751
chiral diamines/tin hydride systems, stereochemistry of ketone reduction, 287
optically pure 2,3–diaminobutane, prep, 981
prim, sec or tert–, alaninamides via reaction with 2–bromopropanamides, 1111

Amino acids
β–amino acids, enantioselective synthesis based on BINAP–Ru catalyzed hydrogenation, 543
2–aminonorbomane–2–carboxylic acids, asymmetric synthesis via Diels–Alder reaction, 1295
2–*exo*–aminonorbomane–2–*endo*–car– boxylic derivs, asymmetric synthesis, 449
4,4,4–trifluorothreonine, stereocontrolled synthesis, 235
cis and *trans* 2–methyl and 2–ethyl 1–amino cyclopropanecarboxylic acids, asymmetric synthesis, 175
D– and L–threonine, asymmetric synthesis, dynamic kinetic resolution in Rh and Ru catalyzed hydro– genation of 2–acyl– amino–3–oxobutyrates, 555
dendritic macro– molecules, poly–tryptophane terminated, 957
homoserine derivs, prep enantiomerically pure phosphonic analogues, 913
L–amino acids, Ru chiral Schiff base complexes with salicylaldehyde, characterization, 1015
lopanoic acid enan– tiomers, chemo– enzymatic synthesis, 1021
Pd–sparteine complex catalyzed asymmetric allylic alkylation, 683
proline derivs, α– substit via enantio– selective cyclo–addition chiral stabilised azomethine ylides with dipolarophiles, 1343
R–β–amino butanoic acid and *S*–β–tyrosine, asymmetric synthesis, homochiral lithium amide equivs for Michael additions to α,β–unsaturated esters, 183
statine, enantiospecific synthesis, 111

Amino acid esters
2–acylamino–3–oxobutyrates, hydrogenation via dynamic kinetic resolution with chiral Rh and Ru catalysts, asymmetric synthesis of D– and L–threonine, 555
amino acid ester imines, asymmetric aza Diels–Alder reactions with Brassard's diene, 1231
chiral organo reagents, activation of ethers, asymmetric Claisen rearrangement of allyl vinyl ethers, 647
D– and L–phenyl–glycinates via NADH model mediated reduction of C=N, 949
N–acetyl–α,β–didehydroalaninate , reaction with cyclopentadiene, 1285
N–acyl 1–aminoacrylic acid derivs, Rh/chiral diphosphine catalysed asymmetric hydro–formylation, 623

Amino alcohols
(1*R*,2*R*,3*S*,4*R*)–4–amino–1,2,3–cyc lopentanetriol derivs, free radical route, 961
(*S*)–isoserine, simple total synthesis, 871
chiral–, in Reformatsky reaction, asymmetric synthesis of β–hydroxyesters, 781
LAH modified with N,N–dialkyl derivs of (*R*)–(–)–aminobutan–1–ol, asymmetric reduction of ketones, 339
R–halostachine analog, 4–step synthesis, diastereoselective reduction of α–keto ester from (–)–8–phenylmenthol, 1165

Amino phosphonic acids
enantiomerically pure phosphonic analogues of homoserine derivs, 913

Antibiotics
(–)-malyngolide, asymmetric synthesis of precursor (*R*)-(+)-2-nonyl-2-(carbomethoxy)-cycl opentanone, 415
1β-methylthienamycin, route to key intermediate, 255
anthracycline inter- mediates, route via chiral titanium complex, catalyzed Diels-Alder reaction, 643
carbocyclic show- domycin deriv via asymmetric Diels- Alder reaction of (*Ss*)-3-(2-pyridylsulphinyl)acryl ate, 1035
unnatural isomer of (–)-aspicilin, asym- metric synthesis, 801

Arenes
styrenes, asymmetric hydroboration catal- yzed by cationic chiral phosphine-Rh complexes, 601

Asymmetric induction
Baylis-Hillman reaction, 969
chiral sulfoxide group, basis for asymmetric synthesis of (–)-aspicilin, 801
in formation 4-phosphinyl-isoxazolidines via nitrone cyclo- additions to 2,3-dihydro-1-phenyl-1*H*-phosphol e 1-oxide, 1371
origin of chiral induction, prep of optically active epoxides from sulfur ylides, 367
pipecolic acid derivs, synthesis using aza-*Diels-Alder* reaction, 1263
silyl nitronate cycloadditions to Oppolzer's chiral sultam derivs, 27
single and double-, Diels-Alder cyclo- additions with chiral acylnitroso dieno- philes, 1209

Asymmetric reactions
2-*exo*-aminonorbomane-2-*endo*-carboxylic acid derivs, 449
C-1-C-8 and C-11-C-20 fragments of leukotriene B4 and 12(*S*)-hydroxy-5,8,14(*Z*),10(*E*) eicosa tetraenoic acid, 457
ethyl (*S*)-(+)-2-methylhept-4-ynoate, using enantiomers of chiral auxiliary [(η5-C5H5)Fe(CO)(PPh3), 1075
lipase from *Pseudomonas fluorescens*, Report, 733
using homochiral lithium amide bases, Report, 1

Auxiliaries
chiral-, 2,2-dimethyl-4-phenyloxazolidine and 2,2-dimethyl-4,5-diphenylimidazolidine, asymmetric cycloaddition of nitrile oxides, 1185
in diastereoselective Paterno-Buchi reaction, prediction either *de* values or conformation energies using linear free energy relationships, 1429

Bicyclic alicyclic compds
2-aminonorbornane-2-carboxylic acids, asymmetric synthesis via Diels-Alder reaction, 1295
bornane-10,2-sultam derivs, asymmetric silyl nitronate cyclo- addition, 1359

Bicyclic heterocyclic compds
α,α-dichlorobenzazep-inone, hetero- geneous enantio- selective hydrode- halogenation, sub- strate specificity, 721
chiral 1,5-benzothiazepines, use in CSA for ^{1}H and ^{19}F NMR, 785
functionalized bicyclo [4.3.0]system,enantioselective construction via Diels-Alder cycloaddition, 1319
rigid bicyclicoxazaborolidine catalyst reduction of prochiral ketones, 1093

Biologically active compounds
12(*S*)-hydroxy-5,8,14(*Z*),10(*E*)eic osatetraenoic acid and C-1-C-8 and C-11-C-20 fragments of LTB4, asymmetric synthesis, 457
2-*exo*-aminonorbor—nane-2-*end o*-carboxylic acid derivs, asymmetric synthesis, 449
enantiomerically pure phosphonic analogues of homoserine derivs, 913
homochiral compds with difluoromethyl- ene unit and O and N functionalities, 1105
marmin and epoxy-auraptens, route to both enantiomers via microbial dihydroxyl ation of 7-geranyloxy coumarin, 247
necine bases, synthesis of optically active Geissman-Waiss lactone, key inter- mediate, 445
pipecolic acid derivs, asymmetric synthesis using aza-Diels-Alder reaction, 1263

Boron and compds
(R)-ethoxy p- tolylvinyl sulfonium tetrafluoroborate, diastereoselective Diels-Alder reactions, 75
asymmetric hydro- boration of styrenes catalyzed by cationic chiral phosphine-Rh complexes, 601
chiral oxazaborol- idines, enantio- selective catalytic reduction of carbonyl compds, 63
chiral oxazaborol- idines, catalytic enantioselective reduction of carbonyl compds, role of Lewis basic solvent, 827
dialkylboron enolates of 1,3-dipropionyl-*trans*-4,5-diphenylimidazolidin-2-one, aldol reaction with aldehydes, synthesis homochiral 1,3-diols, 1001
enantioselective hydroboration of alkenes catalyzed by Rh complexes, 613
model system of borane adducts of oxazaborolidine type of chiral reduction catalysts, energy of formation and structural prop of carbonyl compd complexes, 429
organoboranes, synthesis of enantio merically pure (*Z*)- and (*E*)-alkenes, (*Z*)-RCH=CHR* and (*E*)=RCH=CHR* 277
oxazaborolidines, ketone complexes of borane adducts, catalysed hydride transfer and regeneration of catalyst, 1133

Carbinols
optically active diarylcarbinols, new method, 873

Carbohydrates
3,4-O-isopropylodene-D-altrono- and 3,4:6,7-di-O-isopropylidene-D-glycero-D-altro-heptono-1,5-l actones, prep, 901
5-deoxy-5-alkyl-1,2-O-isopropyl idene-α-D-xylofuranoses, chiral auxiliaries in asymmetric 1,4- addition, 879
free radical route to (1*R*,2*R*,3*S*,4*R*)-4-amino-1,2,3-c yclopentanetriol derivs, 961
glycero-talo- and glycero-galacto-heptono-lacton e acetonides as powerful chirons, 883
monosaccharides, asymmetric route via aldol reaction, glyceraldehyde acetonide with ketene silyl acetals, 993

Carbonyl compds
enantioselective catalytic reduction by chiral oxazaborol-idines, 63
enantioselective catalytic reduction by chiral oxazaborol-idines, role of Lewis basic solvent, 827

Carbonylation
and coupling reactions, introduction of α- and β-formyl-ethyl- substits into steroid skeleton, 633

Carboxylic acids
α,β–unsaturated–, enantioselective catalytic transfer hydrogeation with formates catalyzed by ruthenium phosphine complexes 331
(2*S* or 2*R*) 2–(4–nitro–1–imidazolyl)–alkanecarboxylic acids, synthesis, methyl esters, 941
(*R*)–malic acid, prep of (*R*)–5–(2–hydroxy–ethyl)–2(5H)–furanone, 191
(*R*,*R*)–(+)–tartaric acid synthesis 4–carbon chiron, (*R*)–1–*t*–butyldimethylsilyl–3,4–epoxy–but–1–yne, 943
(*S*)–configurated 2–methylalkanoic acids, lipase–catalysed esterification, 165
chiral 2–alkylbranched acids, prep and stereospecific flavour, 965
chiral phosphinocarboxylic acids, synthesis, phosphine–Pd complexes catalyzed asymmetric allylic alkylation, 667
enantiomerically pure 2,3–O–isopropylidene– or 2,3–O–cyclo hexylidene–D– and L–glyceric acid, synthesis of chiral C3–synthons, 359
kaura–9(11)–16–dien–19–oic acid via new bridgehead enone and new chiral diene, 875
mevinic acids, asymmetric synthesis of hydronaphthalene moieties, 1305
pipecolic acid derivs, asymmetric synthesis using aza–Diels–Alder reaction, 1263
rac (2*R*,3*S*)–3–(4–methoxyphenyl)glycidic acid, optical resolution and prep of ester, 403
rac–, kinetic resolution with homochiral alcohols and dicyclohexylcarbodiimide, 101
unnatural 2*R*,5*S*–5–hydroxypipecolic acid via homochiral acyliminium ion–pipecolic acids, 945

Carboxylic acid halogen derivs
β,β–difluoromalic acid, enantioselective synthesis via enzymic resolution of furyl substituted deriv, 759

Catalysts
alumina–, effect on Diels–Alder reactions of cyclopentadiene with menthyl acrylate and dimenthyl fumarate, 1283
asymmetric–, chiral titanium perchlorate for carbonyl–free cyclization, 1403
BINAP–Ru–, hydro genation, enantio selective synthesis β–amino acids, 543
bio–, prep of (*R*)–(–)–1,1,1–trichloro–2–hydroxy–4–methyl–3–pentene, synthon for pyrethroids, 239
chiral–, quantum chemical modelling, hydride transfer in ketone complexes, borane adducts of oxazaborolidines and regeneration of catalyst, 1133
chiral bisphosphinerhodium–, x–ray structure and configuration of products from asymmetric hydrogenation, 597
chiral cationic phosphine–Rh complex–, asymmetric hydroboration styrenes, 601
chiral copper arenethiolate–, enantio– selective conjugate addition, MeLi and MeMgI2 to benzyl– ideneacetone, 1097
chiral heterogeneous–, enantioselective synthesis, chiral molecules, Report, 843
chiral Mn–com– plexes–, asymmetric epoxidation un–functionalised olefins, 481
chiral oxazaborol– idine–, enantio– selective reduction carbonyl compds, role of Lewis basic solvent, 827
chiral phosphine–Rh complexes, asym, metric hydroboration of styrenes, 601
chiral reduction–, oxazaborolidine type, model system of borane adducts, energy of formation and structural prop of carbonyl compd complexes, 429
chiral Ru–, synthesis and use in asym– metric hydrogenation, 43
chiral tin Lewis acid–, asymmetric aldol reaction silyl enol ether of acetic acid thioester with aldehydes, 635
chiral titanium complex–, Diels–Alder reaction, route to anthracycline intermediates, 643
enantioselective–, Rh–catalyzed hydrosilylation, acetophenone with pyridineoxazoline ligands, ligand excess and intermediates, 919
enantioselective synthesis of optically active phthalides, 253
ephedrine derived–, diethylzinc alkylation of aldehydes, 1123
fighting species multiplicity with donor solvents, enantioselective Diels–Alder reaction of enals, 639
iron complexes chiral 'twin coronet' porphyrins–, enantio–selective oxidation of sulfides, 533
metal–, asymmetric epoxidation electron deficient olefins, 495
Ni–, asymmetric amplification, con– jugate addition to chalcones, 701
Pd–, asymmetric allylic alkylation, 663, 667
Pd–sparteine–, asymmetric allylic alkylation, 683
PLE–, hydrolyses α–substit α–hydroxy esters polymer bound chiral–, with methylene spacer, enantioselective addition of diethyl– zinc to aldehydes, 97
Rh and Pt–, hydro– formylation of ole– fins, 633
Rh and Ru–, hydro– genation 2–acylamino–3–oxobuty– rates, D and L threonine resolution, 555
Rh compex–, enantio selective hydrobor– ation, 613
Rh/chiral diphos– phine–, asymmetric hydroformylation of N–acyl 1–aminoacrylic acid derivs, 623
rigid bicyclic oxaza– borolidine–, re– duction of prochiral ketones, 1093
Ru–complexes of atropisomeric phosphines, asymmetric hydrogenations, 51
semocorrin cobalt–, enantioselective conjugate reduction of α,β–unsaturated carboxamides, 691
species multiplicity–, concentration, solvent, age and enantiomeric purity in Diels–Alder reactions of enals, 639

Chalcones
Ni–catalyzed conjugate addition of diethyl–Zn asymmetric amplification, 701

Chirality
chiral stalilised azomethine ylides, completing memory relay, 997
intermolecular transfer, potential of optically active lithium amides, Report, 1
P/M–, four phenyl rings in Rh–chiral bisphosphine catalyst, abs config of asymmetric hydrogenation products, 597
recognition by 1,1'–binaphthyl–2,2'–diyl phosphoryl chloride, config of asymmetric C atom attached to OH methylene group, 763

Chirons
four–carbon–, (*R*)–1–*t*–butyldimethylsilyl–3,4–epoxy–but–4–yne, synthesis , 943

Chromanes
natural α–tocopherol–intermediate, synthesis, 371

Chromanols
homochiral chroman–4–ols and thio chroman–4–ols, prep by microbial biotransformation, 335

Chromatography
sulcatol formation, conversion of 2– methyl–2–hepten–6–one by *Botrytis cinerea*, 471

Circular dichromism
chiroptical properties of stereoisomeric conjugated oximes, 381

Cleavage reactions
ring–opening, glycidyl derivs by silanes mediated by Ti(0)– *i*–r)4 or Al(0–*i*–Pr)3, access to C3 building blocks 437

Coenzymes
NADH mimics, stereoselective reduction of benzoyl formates to mande– lates, Report, 299
NADH model, mediated reduction of C=N, enantio– selective synthesis of D– and L–phenyl–glycinates, 949

Complexation
diarylcarbinols with brucine, prep optically active diarylcarbinols, 873

Complexes
2,2"–bis[1–(diphenyl–phosphine)–ethyl]–1,1"–biferrocene–, with Pt and Pd, 593
asmium–tetraoxide and osmium–tetraoxide–chiral diamine–, *cis*–dihydroxylation of alkenes, 515
BINAP–Ru–, catalyzed enantio– selective synthesis of β–amino acids, 543
carbonyl compd–, model system of borane adducts of oxazaborolidine type of chiral reduction catalysts, energy of formation and structural prop, 429
chelate diphosphine ruthenium–, general route, 47
chiral (salen)Mn–, catalysed asymmetric epoxidation cf unfunctionalized olefins, 481
chiral phosphine–Rh–, catalysed asymmetric hydroboration of styrenes, 601
chiral titanium–, catalyzed Diels–Alder reaction, route to anthracycline intermediates, 643
indenyl iron–, planar chiral, configura– tional stability, 755
iron–, chiral 'twin coronet' porphyrins, catalyzed enantio– selective oxidation of sulfides, 533
ketone–, borane adducts of oxaza– borolidines, catalysed hydride transfer and regeneration of catalyst, 1133
Pd–sparteine–, catalyzed asymmetric allylic alkylation, 683
phosphine Pd–, catalyzed asymmetric allylic alkylation, synthesis of chiral phosphinocarboxylic acids, 667
resolved homochiral tricarbonyl(η6–*o*–anis–aldehyde)Cr–, nucleophilic addi– tions, synthesis of homochiral α–sub– stituted *o*–methoxy–benzyl alcohols, 139
Rh–, enantioselective hydroborations, 613
Ru chiral Schiff base–, derived from salicyl aldehyde and L–amino acids, characterization, 1015
Ru–atropisomeric diphosphines, *in–situ* prep and asymmetric catalytic hydrogenations, 51
Ru–phosphine–, catalyzed formates, catalytic transfer hydrogenation of α,β–unsaturated carboxylic acids, 331

Configuration
absolute–, 4*R*,9a*S*–2–aryl–4–methyl–3–oxo–octahy dro–2H–pyrido[1,2a]pyrazine, 231
absolute–, stereo– isomers of 4,4,4– trifluorothreonine, 235
laevorotatory enantiomer of all *trans*–2,3,4,5–tetramethyl–cyclo pentanone, 977
stability, planar chiral indenyl iron com– plexes, 755

Conformation
E and *Z* zearalenone and 7α– and 7β– hydroxy congeners, 1005
energies or *de* values in diastereoselective Paterno–Buchi reaction, prediction using linear free energy relationships, 1429
ground state–, (–)–*S*–methylphenylvinylphosphine oxide, crys– tallographic and PCMODEL inquiry, 419

Copper and compds
chiral copper arene– thiolate catalyst, enantioselective conjugate addition, MeLi and MeMgI2 to benzylideneacetone, 1097

Coumarins
7–geranyloxycoumarinmicrobial dihy– droxylation, route to both enantiomers of marmin and epoxy– suraptens, 247

Coupling reactions
and carbonylation reactions, introduction of α– and β–formyl– ethyl–substits into steroid skeleton, 633
two–component process, synthesis of mexiprostil via its ω side–chain unit, 35

Cyanohydrins
resolution by com– plexation with host from tartaric acid, 983

Cyclic ketones
(*R*)–(+)–2–nonyl–2–(carbomethox y)cyclopentanone, precursor of antibiotic (–)–malyngolide, asymmetric synthesis, 415
all *trans*–2,3,4,5–tetramethyl–cyclopentanone optical resolution and con– figuration laevorotatory enantiomer, 977
with C2 symmetry,: (*S,S,S,S*)–tricyclo[6.3.0.0^{3,7}]und ecan–2–one, 1063

Cyclisation
carbonyl–free–, chiral titanium perchlorate asymmetric catalysis, 1403
radical–mediated–, norephedrine derived α–iodoamides, TS–modelling, 793

Cycloaddition
1,3–dipolar–, azo– methine ylides on enantiomerically pure (E)–γ–alkoxy–α,β–unsat esters, 1329
1,3–dipolar–, chiral azomethine ylides, diastereofacial selectivity, 1189
1,3–dipolar–, stereocontrol in azomethine ylid system, 169
amino acid ester imines with Brassard's diene, 1231
asymmetric 1,3–dipolar–, chiral sul– phinylethenes with 1–methyl–3–oxido–pyridinium and nitrones, 1379
asymmetric Diels–Alder–, with chiral 2–alkylsulfinyl–1–nitroalkenes, 179
asymmetric silyl nitronate–, with bornane–10,2–sultam derivas, 1359
asymmetric–, capto– dative α,β–unsat oxazolines as dienophiles, 1223
asymmetric–, chiral acylnitroso dienophiles, single and double asymmetric induction, 1209
asymmetric–, nitrile oxides, 2,2–di– methyl– 4–phenyl–oxazolidine and 2,2–dimethyl–4,5–diphenylimida zolidine as chiral auxiliaries, 1185
enantioselective construction, functionalized bicyclo[4.3.0]system, 1319
enantioselective–, chiral stabilised azomethine ylides with dipolarophiles, 1343
intramolecular–, keteniminium salts, asymmetric synthesis of prostaglandins, 1181
menthyl acrylate and dimenthyl fumarate with cyclopentadiene, effect of alumina, 1283
nitroso compd, derived from D–bornane–10,2–sultam, to cyclopentadiene and cyclohexadiene, 1173

silyl nitronate–, to Oppolzer's chiral sultam derivs, 27
stereoselective [2+2] photo–, chiral 2(5*H*)–furanones to alkenes, 1391
sulfoximine substit trienes, stereo– chemistry *cis*–fused cycloadduct, 1177

Cyclodextrins
β–cyclodextrin enhanced hydrolysis, aryloxypropionic esters by bovine serum albumin, 39

Cyclohexanes
cis–5–substit–1,3–diacyloxycycloh exanes, PLE–catalyzed hydrolysis, revision, 789
gem–difluorocyclohexanes, trisubstituted, asymmetric synthesis via intramolecular trapping of difluoro– alkyl radicals, 399

Deconjugation
photo–, α–substit
α,β–unsaturated es– ter from exo,exo–benzyloxybornanol, configuration, 1101

Dehalogenation
heterogeneous hydro–,
α,α–dichloro–benz– azepinone, substrate specificity, 721

Deprotonation
asymmetric–, *cis*–2,6–dimethylcyclohexanone, Report, 1
asymmetric–, enantio– selective rearrange– ment, epoxides to allylic alcohols, Report, 1

Diastereoisomers
resolution of 2–methoxy–2–(2'–thiazinyl)–glyci nates, 157

Diastereoselection
and enantioselective allylic SN' substi– tution by phenyl– acetic ester enolates, 1107
diastereofacial selectivity, 1,3–dipolar cycloaddition chiral azomethine ylides, 1189
diastereofacial selectivity, stereo– chemistry Diels–Alder adduct acyl– oxydienes bearing remote stereogenic center, 1413
Diels–Alder reactions with (R)–ethoxy p–tolyl vinyl sulfonium tetrafluoroborate, 75
Paterno–Buchi reaction, prediction either *de* values or conformation ener– gies using linear free energy relationships, 1429
reduction of (–) men–thylphenylglyoxalate and (–) menthyl– pyruvate using new hindered lithium trialkoxyaluminohydrides, 771
reduction, α–keto ester from (–)–8– phenyl menthol, 4–step synthesis of *R*–halostachine analog, 1165
reversed in protonation of photodienols, 1101
route to enantiomerically pure homoallylic pinene alcohols from myrtenyl bromide and aldehydes, 779

Dienes
acyloxy–, bearing remote stereogenic center, Diels–Alder reactions, conformational model for diastereofacial selectivity, 1413
Brassard's–, aza Diels–Alder reactions with amino acid ester imines, 1231
captodative αβ–unsat oxazolines as dienophiles in asymmetric Diels Alder reactions, 1223
chiral 1,3–dienes by catalytic asymmetric elimination via
π–allylpalladium intermediate, 195
chiral acylnitroso dienophiles, single and double asymmetric induction in Diels–Alder cyclo– additions, 1209
cyclic and acyclic–, asymmetric Diels– Alder reactions, 5–menthyloxy–2(5H)–furanone, 1247
cyclopentadiene clay–catalysed asymmetric Diels–Alder reaction with (–)–menthyl acrylate, 953
cyclopentadiene, Diels–Alders reactions with homochiral 2–sulfinylmaleates, 1193
cyclopentadiene, Diels–Alder re– actions with menthyl acrylate and di– menthyl fumarate, effect of alumina, 1283
intermolecular Diels–Alder reactions with N–alkylated C–alkoxycarbonylimines, 1263
new chiral–, and new bridgehead enone, syntheses and Diels–Alder approach to kaura–9(11)– 16–dien–19–oic acid, 875
photodienols, protonation, reversal of diastereoselectivity, 1101

Diols and Triols see also Glycerol,
homochiral 1,3–diols via aldol reaction, dialkylboron enolates of 1,3–dipropionyl–*trans*–4,5–diphenylimidazolidin–2–one with aldehydes, 1001
rac–3–(2–methylphen–oxy)propan e–1,2–diol kinetic resolution by sequential lipase– catalyzed transester– ification, 1031

Dioxin
6–(3–chloro–2–hy–droxypropyl)–1,3–dioxin–4–one s, lipase– catalysed asym–metric synthesis and conversion to chiral 5,6–epoxyhexanoates, 343

Dopamine
potent dopaminergic 3–(3–hydroxyphenyl)–N–(1–pro pyl)–piperidine (±)–3–PPP, 989

Drugs
α–aryl–4–piperidinemethanol deriv, synthesis of 4 stereoisomers, 113
(±)–*trans*–sobrerol resolution by lipase PS–catalyzed transesterification, effect of solvents on enantioselectivity, 931
octahydro–2H–pyrido[1,2–*a*]pyraz ine with two optical antipodes via single chiral synthon, 231
optically active ibuprofen and naproxen via 1,2–aryl migration of 2– hydroxy alkyl aryl acetals with PPh3/CC14, 251

Eicosanoids see also Leukotrienes,
12(*S*)–hydroxy–5,8,14(*Z*),10(*E*)eic osatetraenoic acid and C–1–C–8 and C–11–C–20 fragments of LTB4, asymmetric synthesis, 457

Electrochemical reactions
enantioselective–, in chiral crystalline environment, Report, 843

Elimination reactions
catalytic asymmetric–, forming chiral 1,3– dienes via
π–allylpalladium intermediate, 195

Enals
Diels–Alder reactions, fighting species multiplicity of catalyst with donor solvents, 639

Enamines
chiral β–enamino ester, asymmetric Michael process, synthesis of (*R*)–(+)–2–nonyl–2–(carbomethoxy)–cycl openta– none, 415
chiral–, derived from 2,4–diketopiperidine, reaction with methyl acrylate in asym–metric Michael additions, 407

Enantiomeric purity
(*Z*)– and (*E*)–alkenes, (*Z*)–RCH=CHR* and (*E*)=RCH=CHR* via organoboranes, 277
2,5–dimethylbicyclo–[3.2.0]heptan –*endo*–2–ol, resolution and EPC synthesis for grandisol prep, 123

enantiopurity measurement of alcohols using P NMR, 1127
lopanoic acid enantiomers, chemoenzymatic synthesis, 1021
optically pure 2,3–diaminobutane, prep, 981
pure (E)–γ–alkoxy–α,β–unsat esters, 1,3–dipolar cyclo–addition, azomethine ylides, 1329
pure 2,3–O–isopropyl idene– or 2,3–O– cyclohexylidene–D–and L–glyceric acid, synthesis of chiral C3–synthons, 359
pure homoallylic pinene alcohols, route via myrtenyl bromide and aldehydes, 779
pure phosphonic analogues of homo– serine derivs, 913

Enantioselectivity see also Asymmetric Inductylon
α,β–unsaturated carboxylic acids, catalytic transfer hydrogeation with formates catalyzed by ruthenium phosphine complexes 331
β–hydroxyesters, asymmetric synthesis via Reformatsky reaction in presence of chiral aminoalcohols, 781
activation of ethers by chiral organo–Al reagents, asymmetric Claisen rearrange– ment of allyl vinyl ethers, 647
addition of diethylzinc to aldehydes, poly– mer bound chiral catalyst with methylene spacer, 97
alaninamides via reaction of 2–bromopropanamides with prim, sec or tert amines, 1111
and diastereoselective allylic SN' substitution by phenylacetic ester enolates, 1107
catalytic reduction of carbonyl compds by chiral oxazaborol–idines, role of Lewis basic solvent, 827
catalytic reduction, carbonyl compds by chiral oxazaborol–idines, mechanism, 63
catalytic synthesis of optically active phthalides, 253
chiral copper arenethiolate catalyst, conjugate addition, MeLi and MeMgI2 to benzylideneacetone, 1097
conjugate reduction of α,β–unsaturated carboxamides with semocorrin cobalt catalysts, 691
construction, functionalized bicyclo[4.3.0] system through Diels–Alder cycloaddition, 1319
Diels–Alder reactions of enals, fighting species multiplicity of catalyst with donor solvents, 639
heterogeneous hydro– dehalogenation of α,α–dichlorobenzazepinone, substrate specificity, 721
hydroborations catalyzed by Rh complexes, 613
hydrolysis, aryloxypropionic esters by bovine serum albumin enhanced by β–cyclodextrin, 39
lipase–catalyzed acylation, synthesis of 4 stereoisomers of α–aryl–4–piperidinemethanol deriv, 113
lipase–catalyzed esterification of 2–methylalkanoic acids, 165
lipase–catalyzed resolution, ester–ification of 2– propanol amines, 751
microbial reduction of prochiral carbonyl groups: *S* and *R* enantiomers possible, 243
origin in coordination of carbonyl compds to borane adducts of chiral oxazaborolidines, 429
oxidation of sulfides catalyzed by iron complexes of chiral 'twin coronet' porphyrins, 533
oxidation, β–hydroxythioethers, synthesis of optically active alcohols and epoxides, 257
prochiral ketones, reductions using rigid bicyclic oxazaborolidine catalyst, 1093
Rh–catalyzed hydrosilylation, acetophenone with pyridineoxazoline ligands, ligand excess and intermediates, 919
stereochemistry, ketone reductions by chiral diamines/tin hydride systems, 287
synthesis of β,β–difluoromalic acid via enzymic re– solution of furyl substituted deriv, 759
synthesis of β–amino acids based on BINAP–Ru catalyzed hydrogenation, 543
synthesis of D– and L–phenylglycinates, 949
synthesis of D– and L–threonine, dynamic kinetic resolution in Rh and Ru catalyzed hydrogenation of 2–acylamino–3–oxo–butyrates, 555
synthesis of lignan type compds, 109
synthesis, carbocyclic showdomycin deriv via asymmetric Diels–Alder reaction of (S_S)–3–(2–pyridylsulphinyl)acrylate, 1035
synthesis, chiral molecules using chiral heterogeneous catalysts, Report, 843
transesterification using *Pseudomonas cepacia* lipase, effect of reaction con– ditions, 1011

Enantiospecificity
prep of lactone fragment of murisolin, 347
statine synthesis from available aldehyde, 111

Energy
formation and structural prop of carbonyl compd complexes, model system of borane adducts of oxazaborolidine type of chiral reduction catalysts, 429

Enones see also Chalcones
new bridgehead–, and new chiral diene, syntheses and Diels–Alder approach to kaura–9(11)– 16–dien–19–oic acid, 875

Enzymes
active site, pig liver esterase, probing large hydrophobic binding region using substit aryl malonate substrates, 1041
catalysed hydrolysis, dibutylester of (±) E,E–2,8–bishydroxymethyl–1,7–dioxaspir o[5,5]und ecane, 31
chemoenzymatic synthesis, lopanoic acid enantiomers, 1021
kinetic resolution, rac isoserine diacetate by *Candid cylindracea* lipase, 871
lipase from *Pseudomonas fluorescens* in asymmetric synthesis, Report, 733
lipase PS–catalyzed transesterification, (±)–*trans*–sobrerol resolution, effect of solvents on enantio–selectivity, 931
lipase–catalysed asymmetric synthesis of 6–(3–chloro–2–hydroxypropyl)–1,3–dioxin–4–o nes and conversion to chiral 5,6–epoxyhexanoates, 343
lipase–catalysed transesterification in organic solvents, prep (*S*)–4–alkylated 1,4–olides and (*R*)–4– hydroxy–alkanoic–n–propylesters, 1157
lipase–catalyzed enantioselective acylation, synthesis of 4 stereoisomers of α–aryl–4–piperidinemethanol deriv, 113
lipase–catalyzed enantioselective esterification of 2–methylalkanoic acids, 165
lipase–catalyzed resolution, enantioselective esterifi– cation of 2–propanol amines, 751
lipase–catalyzed sequential transesterification, kinetic resolution mephenesin, 1031
pig liver esterase, resolutions of racemic monocyclic esters, 207
PLE catalyzed hydrolyses, α–substituted α–hydroxy esters, effect of substituents, 705
resolution of 4,4,4–trifluorothreonine, 235
resolution of furyl substit deriv, enantioselective synthesis of β,β–difluoromalic acid, 759

Epoxidation
1(3)–tosylglycerol has SN2 mechanism, proof, 187

asymmetric–, allylic alcohols and osmylation of al– kenes, mechanisms, 515
asymmetric–, electron–deficient olefins, metal–catalysed 495
asymmetric–, fluorinated allylic alcohols, 223
asymmetric–, unfunctionalized olefins catalysed by chiral (salen)Mn complexes, 481
Sharpless–, kinetic resolution with enhanced product enantiomeric excesses and yields, 511

Epoxides
bisepoxide, nucleophilic addition, (–)–2,3,–0–isopro—pylidene–2, 3–dihydroxy–1,4–bis(diphenyl– phosphino)butane, prep, 172
chiral 5,6–epoxy–hexanoates via 6–(3–chloro–2–hydroxypropyl)– 1,3–dioxin–4–ones, 343
four–carbon chiron, (*R*)–1–*t*–butyldimethylsilyl–3,4– epoxy–but–1–yne, synthesis, 943
optically active–, prep via sulfur ylides, origin of chiral induction, 367
optically active–, via enantioselective oxidation of β– hydroxythioethers, 257

Esters
α–hydroxy esters, α–substituted, PLE catalyzed hydrolysis, effect of substituents, 705
β–hydroxyesters, asymmetric synthesis via enantioselective Reformatsky reaction in presence of chiral aminoalcohols, 781
β–ketoesters, stereocontrolled reduction by *Geotrichum candidum*, prep of D–3–hydroxyalkanoates, 987
(–)–menthyl acrylate and cyclopentadiene, clay–catalysed asym– metric reaction, 953
(2*R*,3*S*)–3–(4–methoxyphenyl)glyc idic esters via optical resolution of unisolated labile free acid, 403
aryloxypropionic esters, β–cyclodextrin enhanced hydrolysis by bovine serum albumin, 39
benzoylformates, stereoselective reduction to mandelates using NADH mimics, Report, 299
chiral α,β–unsat–, asymmetric conjugate addition to organo– metallic reagents, 389
chiral 2–alkyl–branched–, prep and stereospecific flavour, 965
dimethyl malonate and derivs as nucleophile, Pd–catalysed asymmetric allylic alkylation of 1,3–diphenyl–2–propenyl acetate, 663
E–crononate esters, stereoselective addition to lithium– N–(3,4–dimethoxy– benzyl)α–methylbenzam ide, 183
enantiomericallypure (E)–γ–alkoxy–α,β–unsat esters, 1,3– dipolar cycloaddition, azomethine ylides, 1329
ethyl (*S*)–(+)–2–methylhept–4–ynoate, asym– metric syntheses using enantiomers of chiral auxiliary [(η5–C5H5)Fe(CO)(PPh3), 1075
ethyl 3(*S*)hydroxypropanoate via baker's yeast reduction of ethyl acetoacetate, 867
homochiral 2–sulfinylmaleates, synthesis and Diels– Alders reactions with cyclopentadiene, 1193
malonate substrates, aryl substit, probing large hydrophobic binding region, active site pig liver esterase, 1041
menthyl acrylate and dimenthyl fumarate, Diels–Alder reactions with cyclopentadiene, effect of alumina, 1283
methyl–, (2*S* or 2*R*) 2–(4–nitro–1–imidazolyl)–alkan ecarboxylic acids, synthesis, 941
n–propyl–, of 4(5)– hydroxyalkanoic acids, lipase– catalysed transesterification, prep (*S*)–4–alkylated 1,4–olides and (*R*)– 4–hydroxy– alkanoic–n–propylesters, 1157
one–step high yield conversion to amides, 1165
phenylacetic ester enolates, enantio– and diastereoselective allylic SN' substitution, 1107
racemic monocyclic–, resolution by pig liver esterase, 207

Esterification
asymmetric–, enol esters and anhydrides as acylaying agents, Report, 733
enantioselective–, 2–propanol amines, lipase–catalyzed resolution, 751
lipase–catalysed transesterification in organic solvents, prep (*S*)–4–alkylated 1,4–olides and (*R*)– 4–hydroxyalkanoic–n–propylest ers, 1157
lipase–catalysed–, 2–methylalkanoic acids, 165
sequential trans–, lipase–catalyzed, kinetic resolution mephenesin, 1031
trans–, using *Pseudomonas cepacia* lipase, effect of reaction con– ditions, 1011

Ethers
(–)–sugiresinol dimethyl ether, asymmetric synthesis, 357
activation by chiral organo–Al reagents, asymmetric Claisen rearrangement of allyl vinyl ethers, 647
silyl enol ether of acetic acid thioester, catalytic asymmetric aldol reaction, with aldehydes using chiral Sn Lewis acid, 635

Flavours
stereospecific–, chiral 2–alkylbranched acids, esters and alcohols, 965

Fluoro compounds
β,β–difluoromalic acid, enantioselective synthesis via enzymic resolution of furyl substituted deriv, 759
gem–difluorocyclohexanes, trisubstituted, asymmetric synthesis via intramolecular trapping of difluoro– alkyl radicals, 399
homochiral compds with difluoro– methylene unit and O and N functionalities, 1105

Furanones
(*R*)–5–(2–hydroxyethyl)–2(5H)–fu ranone from (*R*)–malic acid, 191
5(*R*)–menthyloxy–2[5H]–furanone , addition to amine, asymmetric synthesis of β–lactams, 775
5–menthyloxy–2(5H)–furanone, asymmetric Diels–Alder re– actions, 1247
chiral2(5*H*)–furanones, stereoselective [2+2] photocycloaddition to alkenes, 1391

Glycerol
1(3)–tosylglycerol epoxidation has SN2mechanism, proof, 187

Hormones
plant–, osmium tetroxide catalyzed asymmetric dihydroxylation, (22*E*,24*R*)– and (22*E*,24*S*)–24–alkyl steroidal unsat side chain,, 973

Hydroboration
asymmetric–, styrenes catalyzed by cationic chiral phosphine–Rh complexes, 601
enantioselective–, catalyzed by Rh complexes, 613

Hydroformylation
asymmetric–, N–acyl 1–aminoacrylic acid derivs by Rh/chiral diphosphine catalysts, 623
olefins in presence of Rh and Pt catalysts, 633

Hydrogenation
2–acylamino–3–oxobutyrates via dynamic kinetic resolution with chiral Rh and Ru catalysts, asym– metric synthesis of D– and L–threonine, 555
asymmetric catalytic–, ruthenium(II) com– plexes of atro– pisomeric diphos– phines, 51

asymmetric–, catalysed by chiral bisphosphine–Rh, abs config of products, 597
asymmetric–, use of chiral Ru catalysts, 43
asymmetric–, use of chiral phospholanes, 569
BINAP–Ru catalyzed–, enantioselective synthesis of β–amino acids, 543
catalytic transfer–, α,β–unsaturated carboxylic acids with formates catalyzed by ruthenium phosphine complexes 331
enantioselective heterogeneous catalysts, Report, 843

Hydrolysis
asymmetric–, by *B.subtilis*, in prep of (*R*)–(–)–1,1,1–trichloro–2–hydroxy–4–methyl–3–pentene, synthon for pyrethroids, 239
asymmetric–, orechiral diesters, acyclic– and cyclic– racemates as substrates, Report, 733
enzyme catalysed–, dibutylester of (±) E,E–2,8–bis–hydroxymethyl–1,7–dioxaspiro[5,5]und ecane, 31
PLE catalyzed–, α–substituted α–hydroxy esters, effect of substituents, 705
PLE–catalyzed–, *cis*–5–substit–1,3–diacyloxycyclohexanes, revision, 789

Hydrosilylation
acetophenone, Rh–catalyzed with pyridineoxazoline ligands, ligand excess and intermediates, 919

Hydroxylation
asymmetric di–, (22*E*,24*R*)– and (22*E*,24*S*)–24–alkyl steroidal unsat side chain, osmium tetroxide catalyzed, 973
cis–dihydroxylation, alkenes by asmium– tetraoxide and osmium–tetraoxide–chiral diamine com– plexes, 515
microbial dihydroxyl– ation, 7–geranyloxy– coumarin, route to both enantiomers of marmin and epoxy–auraptens, 247

Imidazoles
1–benzoyl–2–t–butyl–3–methyl–1,3–imadazolidin–4–one, alternative method for resolution, 821

Imides
N–phenylmaleimide, 1,3–dipolar cyclo– addition, chiral azomethine ylide, diastereofacial selectivity, 1189

Imines
amino acid ester imines, asymmetric aza Diels–Alder reactions with Brassard's diene, 1231
N–alkylated C–alkoxycarbonyl–, reaction with dienes via intermolecular Diels–Alder pathway, 1263

Iron and compds
chiral auxiliary [(η5–C5H5)Fe(CO)(PPh3) enantiomers, asymmetric synthesis ethyl (*S*)–(+)–2–methylhept–4–ynoate, 1075
indenyl iron complexes, configurational stability of planar chiral compds, 755

Isotope effects
stereoselective deuteriation, glycerol acetonide, proof epoxidation of 1(3)–tosylglycerol is SN2cyclisation, 187

Isoxazolidines
4–phosphinyl–, via nitrone cycloaddition to 2,3–dihydro–1–phenyl–1*H*–phosphole 1–oxide, 1371

Ketenes
chiral equiv, Diels Alder reactions of (+)–(S)–1–t–butylsulfonyl–1–p–tolylsulfinylethene, 93

Keteniminium salts
intramolecular cycloaddition, asymmetric synthesis of prostaglandins, 1181

Keto esters
α–keto ester from (–)–8–phenylmenthol, diastereoselective reduction, 4–step synthesis of *R*–halostachine analog, 1165
β–keto–esters, asymmetric reduction using chiral auxiliaries derived from β–pinene, 353
(–) menthyl phenylglyoxalate and (–) menthylpyruvate, diastereoselective reduction using new hindered lithium–trialkoxyalumino–hydrides, 771
optically active α,α–disubstituted β–keto esters via chiral β–enamino esters, 411

Ketones see also Cyclic ketones
β–hydroxyketones, Sharpless Ti–tartrate epoxidation, 495
acetophenone, Rh–catalyzed hydrosilylation with pyridineoxazoline ligands, ligand excess and intermediates, 919
benzylideneacetone, conjugate addition, organo Li and Mg compds using chiral copper arenethiolate, 1097
prochiral–, asymmetric reductions using LAH modified with N,N–dialkyl derivs of (*R*)–(–)–aminobutan–1–ol, 339
prochiral–, enantio– selective reductions using rigid bicyclic oxazaborolidine catalyst, 1093
reductions by chiral diamines/tin hydride systems, stereochemistry, 287

Kinetics
resolution, racemic carboxylic acids with homochiral alcohols and dicyclohexyl–carbodiimide, 101

Lactams
β–lactams, asymmetric synthesis via amine additions to 5(*R*)–menthyloxy–2[5H]–furanone, 775

Lactones see also Macrolides
α–hydroxy–δ–lactone acetonides, prep, 901
δ–lactones of heptonic acids derived from cyanide chain extension, 2,3:5,6–di–isopropylidene–hex– oses, 883
γ–menthyloxybuteno—lides, asymmetric 1,4–additions, enantioselective synthesis of lignan type compds, 109
lactone fragment of murisolin, prep, 347
macrocyclic–, conformation of *E* and *Z* zearalenone and 7α– and 7β–hydroxy congeners, 1005
optically active γ–butyrolactones, γ,γ–disubstit, stereoselective construction, 797
optically active Geissman–Waiss–, synthesis of key intermediate for necine bases, 445
optically active phthalides, catalytic synthesis, 253

Lanthanides and compds see also Cerium,
lanthanide catalyzed aldol reactions, glyceraldehyde acetonide with ketene silyl acetals, asym– metric route to monosaccharides, 993

Leukotrienes
LTB4, C–1–C–8 and C–11–C–20 fragments, asymmetric synthesis, 457

Lignans
type compds, enantioselective synthesis, 109

Linear free enegy relations
prediction either *de* values or conformation energies of auxiliary in di– astereoselective Paterno–Buchi reaction, 1429

Lithium and compds
organo compds, conjugate addition to benzylideneacetone using chiral copper arenethiolate, 1097

Macrocycles
dendritic–, polytryptophane terminated, 957
lactones, conformation of *E* and *Z* zearale– none and 7α– amd 7β–hydroxy congeners, 1005

Magnesium and compds
organo compds, conjugate addition to benzylideneacetone using chiral copper arenethiolate, 1097

Manganese and compds
chiral (salen)Mn complexes, catalysed asymmetric epoxidation of unfunctionalized olefins, 481
role in stereoselective reduction of benzoyl– formates to mandelates by NADH mimics, Report, 299

Mass spectra
sulcatol formation, conversion of 2– methyl–2–hepten–6–one by *Botrytis cinerea*, 471

Mechanisms
2–aryl–3–ethyl–4–chloro–tetrahydropyrans, asymmetric synthesis via arene chromium tricarbonyl, 1089
acetophenone, Rh– catalyzed hydrosilyl– ation with pyridine–oxazoline ligands, ligand excess and intermediates, 919
asymmetric epoxidation of allylic alco– hols and osmylation of alkenes, 515
enantioselective catalytic reduction, carbonyl compds by chiral oxazaborolidines, 63
stereochemistry, ketone reductions by chiral diamines/tin hydride systems, 287

Mesolonic compounds
sulcatol formation, conversion of 2– methyl–2–hepten–6–one by *Botrytis cinerea*, 471

Metabolites
12(*S*)–hydroxy–5,8,14(*Z*),10(*E*)eicosatetraenoic acid and C–1–C–8 and C–11–C–20 fragments of LTB4, asymmetric synthesis, 457

Metals
organometallic reagents, asymmetric conjugate addition to chiral α,β–unsat esters, 389

Microbial reactions
baker's yeast reduction, ethyl acetoacetate, precursors of free radical chirons of 2(*S*)–hydroxypropyl moiety, product derivs, 867
biotransformation, prep of homochiral chroman–4–ols and thiochroman–4–ols, 335
Helminthosporium species, prep of homochiral thio– chroman–4–ols, 335
enantioselective reduction of prochiral carbonyl groups: *S* and *R* enantiomers possible, 243
route to both enantio– mers of marmin and epoxyauraptens via dihydroxylation of 7–geranyloxy– coumarin, 247
sulcatol formation, conversion of 2– methyl–2–hepten–6–one by *Botrytis cinerea*, 471

Migration
1,2–aryl–, in 2–hy– droxy alkyl aryl acetals with PPh3/ CC14, syntheses of optically active ibuprofen and naproxen 251

Models
Dale–Mosher NMR–, diastereofacial selectivity, Diels– Alder reaction of acyloxydienes bearing remote stereogenic center, 1413
NADH–, mediated reduction of C=N, enantioselective synthesis of D– and L–phenylglycinates, 949
probing large hydrophobic binding region, active site pig liver esterase, using substit aryl malonate substrates, 1041
quantum chemical–, hydride transfer catalysed by ketone complexes of borane adducts of oxazaborol idines and regenera– tion of catalyst, 1133
system, borane adducts of oxazaborolidine type of chiral re– duction catalysts, energy of formation and structural prop of carbonyl compd complexes, 429

Named reactions
β–hydroxyesters, asymmetric synthesis via enantioselective *Reformatsky* reaction in presence of chiral aminoalcohols, 781
2–aminonorbornane–2–carboxylic acids, asymmetric synthesis via *Diels–Alder* reaction, 1295
5–menthyloxy–2(5H)–furanone, asymmetric *Diels–Alder* re– actions, 1247
acyloxydienes bearing remote stereogenic center, *Diels–Alder* reactions, conformational model for diastereofacial selectivity, 1413
alumina, effect on *Diels–Alder* reactions of cyclopentadiene with menthyl acrylate and dimenthyl fumarate, 1283
amino acid ester imines, asymmetric aza *Diels–Alder* reactions with Brassard's diene, 1231
anthracycline intermediates, route via chiral titanium complex, catalyzed *Diels–Alder* reaction, 643
asymmetric *Claisen*–, allyl vinyl ethers, activation by chiral organo–Al reagents, 647
asymmetric *Diels–Alder* cycloaddition with chiral 2–alkylsul– finyl–1–nitroalkenes, 179
asymmetric intramolecular *Diels–Alder* reaction, sulfoximine substit trienes, 1177
Baylis–Hillman asym metric induction, 969
captodative α,β–unsat oxazolines as dienophiles in asymmetric *Diels– Alder* reactions, 1223
carbocyclic showdo– mycin deriv via asymmetric *Diels– Alder* reaction of (*Ss*)–3–(2–pyridylsul– phinyl)acrylate, 1035
catalytic asymmetric intramolecular *Diels– Alder* reaction, synthesis hydronaph– thalene moieties of mevinic acids, 1305
clay–catalysed asymmetric *Diels–Alder* reaction of cyclopentadiene with (–)–menthyl acrylate, 953
diasstereoselectivity, *Diels–Alder* reactions with (R)–ethoxy p–tolyl vinyl sulfonium tetrafluoroborate, 75
Diels Alder reactions, masked chiral ketene equiv (+)–(S)–1–t–butylsulfonyl–1–p–tolylsulfinylethene, 93
Diels–Alder reactions of enals, fighting species multiplicity of catalyst with donor solvents, 639
Diels–Alder reactions, nitroso compd de– rived from D–bor– nane–10,2–sultam, 1173
functionalized bi– cyclo[4.3.0]system, enantioselective construction via *Diels–Alder* cycloaddition, 1319
homochiral 2–sulfinyl maleates, synthesis and *Diels–Alder* reactions with cyclo– pentadiene, 1193
kinetic resolution using modified *Sharpless* asymmetric epoxidation reagent, prep of optically active α–pyrrylcar– binols, 767
linear free energy relationship, pre– diction either *de* values or confor– mation energies of auxiliary in diastereoselective *Paterno–Buchi* reaction, 1429

new chiral–, and new bridgehead enone, syntheses and *Diels–Alder* approach to kaura–9(11)–16–dien–19–oic acid, 875
pipecolic acid derivs, asymmetric synthesis using aza–*Diels–Alder* reaction, 1263
Sharpless epoxida– tions, kinetic resolution with enhanced product enantiomeric excesses and yields, 511
Sharpless Ti–tartrate epoxidation, acyclic and cyclic β–hydroxy ketones, 495
single and double asymmetric in–duction, *Diels–Alder* cycloadditions with chiral acylnitroso dienophiles, 1209

Naphthalenes
hydronaphthalene moieties of mevinic acids, asymmetric synthesis, 1305

Nickel and compds
catalyzed conjugate addition of diethyl– Zn to chalcone, asymmetric amplification, 701

Nitro compds
chiral 2–alkylsul–finyl–1–nitroalkenes, asymmetric *Diels– Alder* cycloadditions, 179
silyl nitronate, cycloaddition to Oppolzer's chiral sultam derivs, 27

Nitronates
asymmetric silyl–, cycloaddition with bornane–10,2–sultam derivs, 1359

Nitrones
asymmetric 1,3–dipolar cycloaddition with chiral sulphinyl ethenes, 1379
cycloadditions to 2,3–dihydro–1–phenyl–1*H*–phos phole 1–oxide, asymmetric induction achieved in formation 4–phos– phinyl–isoxazolidines 1371

Nitroso compds
chiral acylnitroso dienophiles, single and double asym–mmetric induction in Diels–Alder cycloadditions, 1209
nitroso compd, derived from D–bornane– 10,2–sultam, Diels–Alder reactions, 1173

NMR
2,2"–bis[1–(diphenyl–phosphine)–ethyl]–1,1"–biferrocene, syn–thesis and complexes with Pt and Pd, 593
chiral 1,5–benzothiaze pines, use in CSA for ^{1}H and ^{19}F NMR, 785
enantiopurity measurement of alcohols using P NMR, 1127
epoxidation of 1(3)–tosylglycerol has SN2 mechanism, proof, 187
ring–opening, glycidyl derivs by silanes mediated by Ti(0)– *i*–r)4 or Al(0–*i*–Pr)3, access to C3 building blocks 437
stereochemistry, ketone reductions by chiral diamines/tin hydride systems, 287

Nucleosides
carbocyclic showdo– mycin deriv via asymmetric Diels–Alder reaction of (*Ss*)–3–(2– pyridyl sulphinyl)acrylate, 1035

Olefins see also Alkenes
electron–deficient–, asymmetric epoxidation, metal–catalysed, 495
unfunctionalized–, asymmetric epoxidation catalysed by chiral (salen)Mn complexes, 481

Organisms
Annona muricata, prep of lactone fragment *of* murisolin, 347
Anthonomus grandis, grandisol synthesis, prep of key inter–mediate, 123
Aspergillus niger, dihydroxylation of 7–geranyloxycoumarin, route to both enantiomers of marmin and epoxy–auraptens, 247
Aspidosperma and hunteria alkaloids via adducts of chiral imines with phenyl vinylsulfone as chiral buildindg blocks, 199
Bacillus subtilis, asymmetric hydroly– sis in prep of (*R*)– (–)–1,1,1–trichloro–2–hydroxy–4–methyl–3–pentene , synthon for pyre– throids, 239
Botrytis cinerea, conversion of 2–methyl–2–hepten–6–one, sulcatol formation, 471
Candida cylindracea lipase, kinetic enzymatic resolution rac isoserine diacetate, 871
Candida cylindracea, lipase catalysed esterification of 2–menthlalkanoic acid, 165
Cryptomeria japonica, (–)–sugiresinol dimethyl ether, asymmetric synthesis, 357
Dendroctonus pseudotsugae, synthesis of both enantiomers of seudenol and conversion to 1–methyl–2–cyclohexen–1–ol(MCOL), 377
Geotrichum candidum, reduction of β–keto–esters, by prep of D–3–hydroxyalkanoates, 987
Monomorium genera, chirospecific syn– thesis of (5*Z*,8*E*)–3–heptyl–5–methylpyrrolizidine, 351
Mortierella isabellina, prep of homochiral chroman–4–ols, 335
Pseudomonas cepacia lipase, transesterification, effect of re–action conditions, 1011
Pseudomonas fluorescens lipase in asymmetric synthesis, Report, 733
Pseudomonoas species, lipase–catalyzed enantioselective acylation, synthesis of 4 stereoisomers of α–aryl–4–piperidinemethanol deriv, 113
Saccharomyces cerevisiae, various strains, enantio– selective reduction of prochiral carbonyl groups: *S* and *R* enantiomers possible, 243
Solenopsis genera, chirospecific syn– thesis of (5*Z*,8*E*)–3–heptyl–5–methyl–pyrrolizidine, 351

Osmylation
alkenes and asym– metric epoxidation of allylic alcohols, mechanisms, 515

Oxazolidines
2,2–dimethyl–4–phenyloxazolidin e and 2,2–dimethyl–4,5–diphenylimidazolidine chiral auxiliaries, asymmetric cyclo–addition of nitrile oxides, 1185

Oxazolines
captodative α,β– unsat–, dienophiles in asymmetric Diels Alder reactions, 1223

Oxidation
allylic alcohols to allylic epoxides catal ysed by Ti–tartrate complexes, mechanisms, 515
enantioselective–, β–hydroxythioethers, synthesis of optically active alcohols and epoxides, 257
enantioselective–, sulfides catalyzed by iron complexes of chiral 'twin coronet' porphyrins, 533

Oximes
stereoisomeric con– jugated–, chiroptical properties, 381

Oxiranes
regioselective ring opening using substit titanium triiso–propoxides, 1083

Palladium and compds
π–allyl palladium intermediate in formation of chiral 1,3–dienes by catalytic asymmetric elimination, 195
catalyzed asymmetric allylic alkylation using dimethyl malonate and derivs as nucleophile, 663

Pharmacologically active compds
(±)–*trans*–sobrerol resolution by lipase PS–catalyzed transesterification, effect of solvents on enantioselectivity, 931

2-(3-trifluoromethylphenyl)-4-methyl-3-oxo-octahydro-2H-pyrido[1,2a]pyrazine isomers, 231
4,4,4-trifluorothreonine, stereocontrolled synthesis, 235
antifungal and anti-tumor activity of 4,4,4-trifluorothreonine stereoisomers, 235
homochiral compds with difluoromethylene unit and O and N functionalities, 1105
unnatural 2*R*,5*S*-5-hydroxypipecolic acid via homo- chiral acyliminium ion-pipecolic acids, 945

Pheromones
both enantiomers of seudenol, synthesis and conversion to 1-methyl-2-cyclohexen-1-ol(MCOL), 377
grandisol synthesis, resolution and EPC synthesis of enantiomers of 2,5-dimethyl bicyclo-[3.2.0]hep- tan-*endo*-2-ol, 123

Phosphines
(-)-2,3,-O-isopropylidene-2,3-dihydroxy-1,4-bis(diphenylphosphino)butane, new approach, 172
(-)-S-methylphenylvinylphosphine oxide, ground state- conformation, crystallographic and PCMODEL inquiry, 419
2,2"-bis[1-(diphenylphosphine)-ethyl]-1,1"-biferrocene, synthesis and complexes with Pt and Pd, 593
atropisomeric diphosphines, ruthenium(II) complexes, *in-situ* prep and asymmetric catalytic hydrogenations, 51
chelate diphosphine Ru-complexes, general route, 47
chiral phosphino- carboxylic acids, synthesis, phosphine-Pd complexes catalyzed asymmetric allylic alkylation, 667
electron-rich chiral-, synthesis and use of *trans*-2,5-disubstit 1-phenylphospholanes in asymmetric hydrogenations, 569
PPh3/CC14, 1,2-aryl migration of 2- hydroxy alkyl aryl acetals, prep of optically active ibuprofen and naproxen, 251

Phospholanes
chiral-, synthesis, characterization, and use in asymmetric hydrogenations, 569

Phospholes
2,3-dihydro-1-phenyl-1*H*-phosphole 1-oxide, nitrone cycloadditions, formation 4-phos- phinylisoxazolidines, 1371

Phosphoric acid and derivs
chiral 1,1'-binaphthyl-2,2'-diyl phos- phoryl chloride, recognition of asymmetric C atom attached to OH methylene group, 763

Piperidines
3-(3-hydroxyphenyl)-N-(1-propyl)-piperi- dine (±)-3-PPP, dopameric agonist, 989
3-alkyl-2,4-diketopiperidines, use in asymmetric Michael additions, 407
S-5-hydroxy-2-piperidone, synthesis unnatural 2*R*,5*S*-5-hydroxypipecolic acid via homochiral acyliminium ion, 945

Polycyclic aromatic compds
(-)-sugiresinol dimethyl ether, asymmetric synthesis, 357

Polycyclic heterocyclic compds
octahydro-2H-pyrido[1,2-*a*]pyrazine with two optical antipodes via single chiral synthon, 231

Porphyrins
chiral 'twin coronet'-, iron complexes, catalysed enantioselective oxidation of sulfides, 533

Pressure reactions
benzaldehyde Baylis-Hillman reaction with (-)- mentyl acrylate, 969

Prostaglandins
asymmetric synthesis via intramolecular cycloaddition, keteniminium salts, 1181
mexiprostil, synthesis ω side-chain unit, synthesis of mexi- prostil via two-component coupling process, 35

Protonation
photodienols, reversal of diastereo- selectivity, 1101

Pyrans
2-aryl-3-ethyl-4-chlorotetrahydropyrans, asymmetric synthesis via arene chromium tricarbonyl, 1089
homochiral (*R,R,S*)- and (*S,R,R,*)-2-*o*-anisyl-3-ethyl-4-chloro-tetrahydro pyran, synthesis, 1089

Pyrethroids
synthon, biocatalytic prep of (*R*)-(-)-1,1,1-trichloro-2-hydroxy-4-methyl-3-pentene, 239

Pyridines
non- and dihydro- nicotinoyl derivs as NADH mimics, Report, 299

Pyridinium salts
1-methyl-3-oxido-, asymmetric 1,3- dipolar cycloaddition with chiral sulphinyl- ethenes, 1379

Pyrimidones
N-acyl dihydropyrimidinones, asymmetric alkylation, 105

Pyrroles
optically active α-pyrryl carbinols, prep via kinetic resolution using modified Sharpless asymmetric epoxidation reagent, 767

Radicals
chiral 2(*S*)-hydroxypeopyl as precursor of chiral compds, 867
difluoroalkyl-, intramolecular trapping, asymmetric synthesis of trisubstituted *gem*-difluorocyclohexanes, 399
free-, route to (1*R*,2*R*,3*S*,4*R*)-4-amino-1,2,3-cyclopentanetriol derivs, 961
mediated cyclisation of norephedrine derived α-iodoamides, TS-modelling, 793

Reagents
lithiumtrialkoxyaluminohydrides, hindered, diastereoselective reduction of (-)-mentylphenylgyloxalate and (-) menthyl- pyruvate, 771
modified Sharpless asymmetric epoxidation-, use in prep of optically active α-pyrryl carbinols via kinetic resolution, 767
titanium triiso- propoxides, substit, oxirane ring opening, 1083

Rearrangements
asymmetric Claisen-, allyl vinyl ethers, activation by chiral organo-Al reagents, 647

Reduction see alsdo Hydrogenation
β-ketoesters by *Geotrichum candidum*, prep of D-3-hydroxyalkanoates, 987
asymmetric-, β-ketoesters using chiral auxiliaries derived from β-pinene, 353
asymmetric-, ketones using LAH modified with N,N-dialkyl derivs of (*R*)-(-)-aminobutan-1-ol, 339
baker's yeast-, ethyl acetoacetate, precursors of free radical chirons of 2(*S*)- hydroxypropyl moiety, product derivs, 867
C=N, mediated by NADH model, enantioselective synthesis of D- and L-phenylglycinates, 949
catalytic enantioselective-, carbonyl compds by chiral oxazaborolidines, role of Lewis basic solvent, 827

diastereoselective–, –keto ester from (–)–8–phenylmenthol, 4–step synthesis of *R*–halostachine analog, 1165
diastereoselective–, (–) menthylphenylglyoxalate and (–)menthylpyruvate using new hindered lithiumtrial–koxyaluminohydrides771
enantioselective catalytic–, carbonyl compds by chiral oxazaborolidines, 63
enantioselective conjugate–, α,β–unsaturated carboxamides with semocorrin cobalt catalysts, 691
enantioselective–, prochiral carbonyl groups by various yeast strains, *S* and *R* enantiomers possible, 243
ketones, by chiral diamines/tin hydride systems, stereo–chemistry, 287
prochiral ketones, using rigid bicyclic oxazaborolidine catalyst, 1093
stereoselective–, benzoylformates to mandelates, using NADH mimics, Report, 299

Regioselection
oxirane ring opening using substit titanium triisopropoxides, 1083

Resolution
(±)–*trans*–sobrerol by lipase PS–catalyzed transesterification, effect of solvents on enantioselectivity, 931
1–benzoyl–2–t–butyl–3–methyl–1, 3–imadazolidin–4–one, alternative method, 821
2–methoxy–2–(2'–thiazinyl)glycin ates, 157
and EPC synthesis of 2,5–dimethylbicyclo–[3.2.0]–heptan– *endo*–2–ol for gransisol prep, 123
biocatalytic–, by *B.subtilis*, in prep of (*R*)–(–)– 1,1,1–trichloro–2–hydroxy–4–methyl–3–pentene, for synthesis of pyrethroids, 239
diarylcarbinols via complexation with brucine, 873
dynamic kinetic–, in chiral Rh and Ru catalysed hydrogenation of 2–acyl– amino–3–oxobuty–rates, asymmetric synthesis of D– and L–threonine, 555
enzymatic–, 4,4,4–trifluorothreonine, 235
kinetic enzymatic–, rac isoserine diacetate by *Candid cylindracea* lipase, 871
kinetic–, enhanced product enantiomeric excesses and yields in Sharpless epoxi–dations, 511
kinetic–, mephenesin by sequential lipasecatalyzed transesterification, 1031
kinetic–, using modified Sharpless asymmetric epoxidation reagent, prep of optically active α–pyrryl carbinols, 767
lipase–catalyzed–, enantioselective esterification of 2–propanol amines, 751
optical–, all *trans*–2,3,4,5–tetramethyl–cyclopentanone and configuration laevoro tatory enantiomer, 977
optical–, rac (2*R*,3*S*)–3–(4–methoxyphenyl)glycidic acid, prep of ester, 403
potent dopaminergic 3–(3–hydroxyphenyl)–N–(1–propyl)–piperidine (±)–3–PPP, 989
racemic carboxylic acids with homochiral alcohols and dicyclohexylcarbodiimide, 101
racemic monocyclic esters by pig liver esterase, 207
sec alcohols, cyano– hydrins, and glycerol acetals by complexa–tion with host from tartaric acid, 983

Ruthenium and compds
chelate diphosphine Ru–complexes, general route, 47
chiral catalysts, synthesis and use in asymmetric hydrogenation, 43
Ru chiral Schiff base complexes derived from salicylaldehyde and L–amino acids, characterization, 1015
Ru–complexes of atropisomeric diphosphines, *in–situ* prep and asymmetric catalytic hydrogenations, 51
Ru–phosphine complexes, catalyzed formates, catalytic transfer hydrogenation of α,β–unsaturated carboxylic acids, 331

Sapogenins
murisolin, prep of lactone fragment, 347

Silicon and compds
asymmetric silyl nitronate, cyclo–addition with bornane–10,2–sultam derivs, 1359
silanes, ring–opening of glycidyl derivs mediated by Ti(0)– *i*–r)4 or Al(0–*i*–Pr)3, access to C3 building blocks 437
silyl nitronate cycloaddition to Oppolzer's chiral sultam derivs, 27

Solvents and solvent effects
chiral 1,5–benzothiazepines, use in CSA for ^{1}H and ^{19}F NMR, 785
effect on diastereoselctivity, nucleophilic addition of bromoalkyl Mg compds to lactols, 797
Lewis basic–, role in catalytic enantioselective reduction of carbonyl compds by chiral oxazaborol– idines, 827
on enantioselectivity, resolution of (±)–*trans*–sobrerol by lipase PS–catalyzed transesterification, 931

Spiro compds
dibutylester of (±)E,E–2,8–bishydroxymethyl–1,7–dioxaspiro[5,5] undecane, enzyme catalysed hydrolysis, 31

Stereochemistry
alaninamides via reaction of 2–bromopropanamides with prim, sec or tert amines, 1111
ketone reductions by chiral diamines/tin hydride systems 287

Stereocontrol
1,3–dipolar cycloaddition in azo–methine ylid system, 169
reduction of β–ketoesters by *Geotrichum candidum*, prep of D–3–hydroxyalkanoates, 987
synthesis of 4,4,4–trifluoro–threonine, 235

Stereoisomerism
conjugated oximes, chiroptical properties, 381

Stereoselection
[2+2] photocycloaddition, chiral 2(5*H*)–furanones to alkenes, 1391
construction of quaternary C centers, synthesis of optically active γ,γ–disubstit γ–butyrolactones, 797
lithium–N–(3,4–dimethoxy benzyl)α–methylbenzamide, addition to *E*–crononate esters, 183
NADH mimics, reduction of benzoylformates to mandel–ates, Report, 299
radical–mediated cyclization of norephedrine derived α–iodoamides, TS–modelling, 793
sulcatol formation, conversion of 2– methyl–2–hepten–6–one by *Botrytis cinerea*, 471
synthesis of (R)–7–pentylhexahydroazepine–2–thi–one, pre– cursor of (–)–per–hydrohistrionicotoxin, 203
synthesis of homochiral α–substituted *o*–methoxybenzyl alcohols *via* nucleophilic additions to resolved homochiral tricarbonyl (h6–*o*–anisal–dehyde)chromium(O) 139

Stereospecificity
1,2–aryl migration in 2–hydroxy alkyl aryl acetals with PPh3/ CC14, syntheses of optically active ibuprofen and naproxen 251

Steroids and sterols
plant growth regulators, osmium tetroxide catalyzed asymmetric dihydroxylation, (22*E*,24*R*)– and (22*E*,24*S*)–24–alkyl steroidal unsat side chain,, 973
skeleton, introduction of α–and formyl–ethyl–substits via coupling and carbonylation re–actions, 633

Substiruent effects
PLE catalyzed hydrolysis of α–substituted α–hydroxy esters, 705

Substitution
diastereo– and enantioselective allylic SN'–, γ–bromo–α,β–un–saturated esters by phenylacetic ester enolates, 1107

Sulfides
enantioselective oxidation catalyzed by iron complexes of chiral 'twin coronet' porphyrins, 533

Sulfinyl compds
chiral sulphinylethenes, asymmetric 1,3–dipolar cyclo–addition with 1–methyl–3–oxidopyridinium and nitrones, 1379
homochiral 2–sulfinylmaleates, synthesis and Diels–Alder reactions with cyclopentadiene, 1193

Sulfoxides
β–hydroxysulfoxides, synthesis of optically active alcohols and epoxides, 257
(+)–(S)–1–t–butylsulfonyl 1–p–tolylsu finylethene masked masked chiral ketene equiv, Diels Alder reactions, 93

Sulphoximines
substit trienes, asymmetric intramolecular Diels–Alder reaction, 1177

Sultams
bornane–10,2–sultam derivs, asymmetric silyl nitronate cyclo–addition, 1359
D–bornane–10,2–sultam, derived nitroso compd, Diels–Alder reactions, 1173
Oppolzer's chiral derivs and silyl nitronate, cycloaddition, 27

Tautomerism
imine to enamine–, asymmetric Michael addition of chiral enamines (derived from 2,4–diketo– piperidine) to methyl acrylate, 407

Terpenoids
α–pinene, derived chiral auxiliaries, asymmetric reduction of β–ketoesters, 353

Theoretical calculations
enantioselective catalytic reduction, carbonyl compds by chiral oxazaborol– idines, 63
energy of formation and structural prop of carbonyl compd complexes, model system of borane adducts of oxaza–borolidine type of chiral reduction catalysts, 429

Thiazines
2–methoxy–2–(2'–thiazinyl)glycin ates, resolution, 157

Thiazoles
2–acylthiazoles, model reduction of prochiral carbonyl groups, varying substrates and selecting yeast strains, 243

Thioethers
β–hydroxythioethers, enantioselective oxidation, synthesis of optically active alcohols and epoxides, 257

Thiolactams
(*R*)–7–phenylthiocaprolactam, precursor of (–)–perhydrohistrionicotoxin, synthesis, 203

Thiophenes
β–hydroxy thioesters, α–unsubstit with high ees, prep, 635

Tin and compds
chiral Sn Lewis acid, catalytic asymmetric aldol reaction of aldehydes with silyl enol ether of acetic acid thioester, 635

Titanium and compds
BINOL–derived titanium catalyst for enantioselective Diels–Alder reactions, 643
chiral titanium perchlorate, asymmetric catalysis for car–bonyl–free cyclization, 1403
Ti(0)–*i*–r)4 or Al(0–*i*– Pr)3, mediated ring–opening of chiral glycidyl derivs, access to C3 building blocks, 437
Ti–tartrate–, catalysed oxidation of allylic alcohols to allylic epoxides, mechanisms, 515
titanium triisopropoxides, substit, oxirane ring opening, 1083

Toxins
(–)–perhydrohistrionicotoxin, synthesis of (R)–7–pentylhexahydro–azepine–2–thione precursor, 203

Transfer reactions
hydride–, catalysed by ketone complexes, borane adducts of oxazaborolidines, and regeneration of catalyst, 1133

Trapping reactions
intramolecular–, difluoroalkyl radicals, asymmetric synthesis of trisubstituted *gem*–difluorocyclohexanes, 399

Trienes
sulfoximine substit–, asymmetric intramolecular Diels–Alder reaction, 1177

Vinylation
cholest–3,5–dien–3–yl and androsa–16– en–17–yl iodide with Pd, 633

Vitamins
natural α–tocopherolintermediate, synthesis, 371

X–ray analysis
3,4–O–isopropylodene–D–altrono– and 3,4:6,7–di–O–isopro–pylidene–D–glycero–D–altro–heptono–1,5–lactones, prep, 901
correlation of crystal structures of chiral bisphosphine–Rh catalysts and abs config of resulting asymmetric hydrogenation products, 597
crystallographic and PCMODEL inquiry, ground state confor–mation, (–)–*S*–methylphenyl–vinylphosphine oxide, 419
cycloadduct, Oppolzer's chiral sultam derivs and silyl nitronate, 27
glycero–talo– and glycero–galacto–heptono–lactone acetonides, 883

Ylides
azomethine–, 1,3–dipolar cycloaddition on enantiomerically pure (E)–γ–alkoxy–α,β–unsat esters, 1329
azomethine–, chiral stabilised, develop– ment, 169
chiral azomethine–, 1,3–dipolar cycloaddition, diastereofacial selectivity, 1189
chiral stabilised azomethine–, development chiral memory relay system, 1343
chiral stabilised azomethine–, enantioselective cycloaddition with dipolarophiles, 1343
chiral stalilised azomethine–, completing memory relay, 997
sulfur–, prep of optically active epoxides, origin of chiral induction, 367

Zinc and compds
diethyl zinc with (*S*)–N,N, N',N' –tetramethyl–2,2'–diamino–1,1'– binaphthyl, asymmetric alkylation of aromatic aldehydes, 363
diethylzinc alkylation of aldehydes using ephedrine derived catalyst, 1123
diethylzinc, addition to aldehydes, polymer bound chiral catalyst with methylene spacer, 97

Author Index 1991

Abe H. see Fuji K. 1319

Abe H. see Fuji K. 179

Achiwa K. see Sakuraba S. 597

Ahuja J.R. see Sonawane H.R. 251

Alami A. Calmes M. Daunis J. Escale F. Jacquier R. Roumestant M.-L. and **Viallefont P.** Asymmetric synthesis of *cis* and *trans* 2-methyl and 2-ethyl 1-amino cyclopro- pane carboxylic acids 175

Alcock N.W. Brown J.M. Rose M. and **Wienand A.** A simple general route to chelate diphos-phine ruthenium (II) complexes 47

Alibes R. Bourdelande J.L. and **Font J.** Stereoselective [2+2] photocycloaddition of chiral 2(5*H*)-furan- ones to alakenes 1391

Alonso I. Cid M.B. Carretero J.C. Garcia Ruano J.L. and **Hoyos M.A.** Synthesis and Diels-Alder re- actions of homochiral 2-sulfinylmaleates with cyclopentadiene 1193

Ambroise L. Chassagnard C. Revial G. and **d'Angelo J.** The use of 3-alkyl-2,4-diketopiperidines in asymmetric Michael additions 407

Annunziata F. Cinquini M. Cozzi F. Raimondi L. and **Pilati T.** 1,3-Dipolar cycloaddition reactions of azo- methine ylides on enantiomerically pure (E)-γ-alkoxy-α,β-unsaturated esters 1329

Anslow A.S. Harwood L.M. Phillips H. Watkin D. and **Wong L.F.** Development of chiral stabilised azomethine ylids: a chiral memory relay system 1343

Anslow A.S. Harwood L.M. Phillips H. and **Watkin D.** Development of a chiral stabilised azomethine ylid. A chiral relay system 169

Anslow A.S. Harwood L.M. Phillips H. and **Watkin D.** Development of chiral stabilised azomethine ylids: completing the memory relay 997

Antonakis K. see Saiah M. 111

Antunes O.A.C. see d'Angelo J. 199

Aral Y. see Takahashi T. 1379

Arcadi A. see Skoda-Foldes R. 633

Archelas A. see Zhang X. 247

Arnone A. Bravo P. Viani F. and **Cavicchio G.** Asymmetric synthesis of trisubstituted *gem*-difluorocyclohexanes by intra- molecular trapping of difluoroalkyl radicals 399

Arshava B.M. see Raifeld Y.E. 1083

Ashok B. see Rama Rao A.V. 255

Ashton P.R. see Bailey M. 495

Awandi D. Henin F. Muzart J. and **Pete J.-P.** Reversal of diastereoselectivity in protonation of chiral photodienols 1101

Azerad R. see Buisson D. 987

Bailey M. Staton I. Ashton P.R. Marko I.E. and **Ollis W.D.** Asymmetric metal- catalysed epoxidation of electron-deficient olefins 495

Bailey P.D. Brown G.R. Korber F. Reed A. and **Wilson R.D.** Asymmetric synthesis of pipecolic acid derivatives using the aza-Diels-Alder reaction 1263

Bains S. see Kabalka G.W. 1283

Balocchi L. and **Picconi G.** How to obtain two optical antipodes of an octa- hydro-2H-pyrido [1,2-*a*] pyrazine starting from a single chiral synthon 231

Ballschuh S. see Theil F. 1031

Banba Y. see Takahata H. 445

Bandoh H. see Takahara H. 351

Banno H. see Maruoka K. 647

Bayma J. see Brown E. 339

Beacham A.R. Bruce I. Choi S. Doherty O. Fairbanks A.J. Fleet G.W.J. Skead B.M. Peach J.M. Saunders J. and **Watkin D.J.** Acetonides of heptonolactones: powerful chirons 883

Bencheqroun M. see Solladie-Cavallo A. 1165

Bernreuther A. see Schwab E. 471

Bertolasi V. see D'Angeli F. 1111

Bessodes M. see Saiah M. 111

Bhat N.G. see Brown H.C. 277

Bichard C.J.F. Fairbanks A.J. Fleet G.W.J. Ramsden N.G. Vogt K. Doherty O. Pearce L. and **Watkin D.J.** Acetonides of α-hydroxy-δ-altronolactones 901

Blaser H.-U. Boyer S.K. and **Pittelkow U.** The heterogeneous enantioselective hydrodehalogenation of α,α-diochloro-benzazepinone-II. A unique case of substrate specificty 721

Blaser H.-U. Enantioselective synthesis using chiral heterogeneous catalysts 843

Bloch R. and **Brillet C.**

Stereoselective construction of quaternary carbon centers. Synthesis of optically active γ,γ–disubstituted γ–butyrolactones 797

Bodwell G.J. and **Davies S.G.** Asymmetric syntheses of ethyl (*S*)–(+)–2–methylkhept–4–ynoat e using both enantiomers of the chiral iron auxiliary [(h5–C5H5) Fe(CO)(PPh3)] 1075

Boersma J. see Lambert F. 1097

Boireau G. and **Deberly A.** Highly diastereoselective reduction of (–) menthylphenylglyoxalate and (–) menthyl– pyruvate using new hindered lithiumtri– alkoxyaluminohy– drides 771

Bolm C. Asymmetric amplification in nickel–catalyzed conjugate addition to chalcone 701

Bornscheuer U. Schapohler S. Scheper T. and **Schugerl K.** Influences of reaction conditions on the enantioselective transestification using *Pseudomonas cepacia* lipase 1011

Boubekeur K. see Sevin A.–F. 1107

Bourdelande J.L. see Alibes R. 1391

Boussoufi A. Hudhomme P. Hitchcock P. and **Duguay G.** Resolution of 2–methoxy–2–(2'–thiazinyl)glycin ates 157

Bovara R. Carrea G. Ferrara L. and **Riva S.** Resolution of (±)–*trans*–sobrerol by Lipase PS–catalyzed transesterification and effects of organic solvents on enantio– selectivity 931

Boyer S.K. see Blaser H.–U. 721

Brandi A. Cicchi S. Goti A. and **Pietrusiewicz K.M.** Single and double asymmetric induction in the cycloaddition of chiral nitrones to achiral and chiral vinylphosphine oxides 1063

Brandi A. see Goti A. 1371

Brandi A. see Pietrusiewicz K.M. 419

Brandi P. see Brunner H. 919

Braun M. see Waldmann H. 1231

Bravo P. Pregnolato M. and **Resnati G.** A new entry to homo– chiral difluorinated compounds 1105

Bravo P. see Arnone A. 399

Breau L. and **Durst T.** Preparation of optically active epoxides via sulfur ylides. Origin of the chiral induction 367

Brillet C. see Bloch R. 797

Broger E.A. see Heiser B. 51

Bromley L.A. Davies S.G. and **Goodfellow C.L.** Stereoselective synthesis of homo– chiral alpha substi– tuted *o*–methoxy– benzyl alcohols *via* nucleophilic additions to kinetically re– solved homochiral tricarbonyl (h6–*o*–anisaldehyde)chro– mium(0) 139

Brown E. Penfornis A. Bayma J. and **Touet J.** Asymmetric reductions of ketones using lithium aluminium hydride modified with *N,N*–dialkyl deriv– atives of (*R*)–(–)–2–aminobutan–1–ol 339

Brown G.R. see Bailey P.D. 1263

Brown H.C. Iyer R.R. Mahindroo V.K. and **Bhat N.G.** Chiral synthesis *via* organoboranes – XXXI. A simple synthesis of enantio– merically pure (*Z*)– and (*E*)–alkenes, (*Z*)–RCH=CHR* and (*E*)–RCH=CHR* 277

Brown J.M. Brunner H. Leitner W. and **Rose M.** Enantioselective catalytic transfer hydrogenation of α,β–unsaturated carboxylic acids with formates catalyzed by novel ruthenium phosphine complexes 331

Brown J.M. see Alcock N.W. 47

Brown S.M. Davies S.G. and **de Sousa J.A.A.** Kinetic resolution strategies–I. Enhanced product enantiomeric excesses and yields in Sharpless epoxidations 511

Bruce I. see Beacham A.R. 883

Brunner H. and **Fisch K.** Optically active transition–metal complexes—CIII. Configurational stability of new planar chiral indenyl iron complexes 755

Brunner H. and **Brandi P.** Enantioselective catalysis—LXXIV. Ligand excess and intermediates in the rhodium–catalyzed enantioselective hydrosilylation of acetophenone with pyridineoxazoline ligands 919

Brunner H. see Brown J.M. 331

Buck H.M. see Vekemans J.A.J.M. 949

Buisson D. Azerad R. Sanner C. and **Larcheveque M.** Stereocontrolled reduction of β–ketoesters by *Geotrichum candidum*. Preparation of D–3–hydroxy– alkanoates 987

Bur D. see Defoin A. 1209

Burgess K. van der Donk W.A. and **Ohlmeyer M.J.** Enantioselective hydroborations catalyzed by rhodium(+1) complexes 613

Burgess V.A. Davies S.G. and **Skerlj R.T.** NADH Mimics for the stereoselective reduction of benzoylformates to the corresponding mandelates 299

Burk M.J. Feaster J.E. and **Harlow R.L.** New chiral phospholanes; syn– thesis, characteriza– tion and use in asymmetric hydrog– enation reactions 569

Burschka C. see Rettinger K. 965

Buschmann H. Hoffmann N. and **Scharf H.–D.** Linear free energy relationships as an instrument for the prediction of either *de* values or con– formation energies of the auxiliary in the diastereoselective Paterno–Buchi reaction 1429

Calmes M. see Alami A. 175

Carda M. see Dumortier L. 789

Carrea G. see Bovara R. 931

Carrea G. see Colombo M. 1021

Carretero J.C. see Alonso I. 1193

Carretero J.C. see Lopez R. 93

Cassidy K.C. see McIntosh J.M. 1053

Castro R.N. see d'Angelo J. 199

Cativiela C. Lopez P. and **Mayoral J.A.** Asymmetric syn– thesis of 2–amino– norbomane–2–carboxylic acids by Diels–Alder reaction 1295

Cativiela C. Lopez P. and **Mayoral J.A.** Asymmetric synthesis of 2–*exo*–amino–norbomane–2–*endo*–carboxylic acid derivatives 449

Cativiela C. Figueras F. Fraile

J.M. Garcia J.I. and Mayoral J.A. Clay–catalysed asymmetric Diels– Alder reaction of cyclkopentadiene with (–)–menthyl acrylate 953

Cavicchio G. see Amone A. 399

Cavicchioni G. see D'Angeli F. 1111

Chassagnard C. see Ambroise L. 407

Chen F.–L. see Hon Y.–S. 879

Chen L. and Ghosez L. Intramolecular cycloadditions of keteniminium salts. A practical asymmetric synthesis of prostag– landins 1181

Chinchilla R. Najera C. Yus M. and Heumann A. Kinetic resolution of racemic carboxylic acids with homochiral alcohols and dicyclohexyl– carbodiimide 101

Choi S. see Beacham A.R. 883

Chool S.Y.M. Leung P. Ng S. Quek G.H. and Sim K.Y. A simple route to optically pure 2,3– diaminobutane 981

Cicchi S. see Brandi A. 1063

Cicchi S. see Goti A. 1371

Cid M.B. see Alonso I. 1193

Cinquini M. see Annunziata F. 1329

Colombo M. De Amici M. De Micheli C. Pitre D. Carrea G. and Riva S. Chemoenzymatic synthesis of the enantiomers of lopanoic acid 1021

Conte V. Di Furia F. Modena G. Licini G. Sbampato G. and Valle G. Enantioselective oxidation of β–hydroxythioethers. Synthesis of optically active alcohols and epoxides 257

Costa P.R.R. see d'Angelo J. 199

Costa P.R.R. see Vasconcellos M.L. 353

Cox D. see Kabalka G.W. 1283

Cox P.J. and Simpkins N.S. Asymmetric synthesis using homochiral lithium amide bases

Cozzi F. see Annunziata F. 1329

Craig D. and Geach N.J. Asymmetric intramolecular Diels–Alder reaction of a sulphoximine– substituted triene 1177

Crameri Y. see Heiser B. 51

Culeddu N. see Falorni M. 287

D'Angeli F. Marchetti P. Cavicchioni G. Bertolasi V. and Maran F. Enantioselective reactions of 2–bromopropanamides with primary, secondary, or tertiary amines. Synthesis of some alaninamides 1111

d'Angelo J. Revial G. Costa P.R.R. Castro R.N. and Antunes O.A.C. Asymmetric Michael addition of chiral imines to phenylvinylsulfone: preparation of key chiral building blocks for the synthesis of *Aspidosperma* and *hunteria* alkaloids 199

d'Angelo J. see Ambroise L. 407

d'Angelo J. see Vasconcellos M.L. 353

Daunis J. see Alami A. 175

Dauphin G. see Gourcy J.–G. 31

Davies S.G. and Mortlock A.A. Bifunctional chiral auxiliaries–III. Synthesis of homo– chiural 1,3–diols via asymmetric aldol reactions of dialkyl– boron enolates of 1,3–dipropionyl–*trans*–4,5–diphenylimidazolidin–2–one and aldehydes 1001

Davies S.G. Donohoe T.J. and Lister M.A. Asymmetric syn–thesis of 2–aryltetra–hydropyrans *via* arene chromium tricarbonyl methodology I: *cis*–2–aryl–4–chloro–tetrahydrop yrans 1085

Davies S.G. Donohoe T.J. and Lister M.A. Asymmetric synthesis of 2–aryl–tetrahydro–pyrans *via* arene chromium tricarbonyl methodology II: 2–aryl–3–ethyl–4–chloro–tetrahydro– pyrans 1089

Davies S.G. and Ichihara O. Asymmetric synthesis of *R*–β–amino butanoic acid and *S*–β–tyrosine: homochiral lithium amide equivalents for Michael additions to α,β–unsaturated esters 183

Davies S.G. see Bodwell G.J. 1075

Davies S.G. see Bromley L.A. 139

Davies S.G. see Brown S.M. 511

Davies S.G. see Burgess V.A. 299

De Amici M. see Colombo M. 1021

De Jeso B. see Hamdani M. 867

de Jong J.C. van Bolhuis F. and Feringa B.L. Asymmetric Diels–Alder reactions with 5–menthyloxy– 2(5H)–furanone 1247

De Micheli C. see Colombo M. 1021

de Sousa J.A.A. see Brown S.M. 511

Deberly A. see Boireau G. 771

Defoin A. Pires J. Tissot I. Tschamber T. Bur D. Zchnder M. and Streith J. Single double asymmetric induction in Diels–Alder cyclo– additions with chiral acylnitroso dieno–philes 1209

Deleuze H. see Hamdani M. 867

Deprez P. Royer J. and Husson H.–P. High diastereofacial selectivity in the 1,3–dipolar cyclo– addition of chiral azomethine ylides 1189

Desmaele D. see Vasconcellos M.L. 353

Di Furia F. see Conte V. 257

Dive G. see Gouverneur V. 1173

Doherty O. see Beacham A.R. 883

Doherty O. see Bichard C.J.F. 901

Donohoe T.J. see Davies S.G. 1085

Donohoe T.J. see Davies S.G. 1089

Drager M. see Waldmann H. 1231

Dubuffet T. see Gosmini C. 223

Duguay G. see Boussoufi A. 157

Duhamel P. Kotera M. and Marabout B. Stereoselective synthesis of (*R*)–7–pentylhexahydroazepine–2–thion e: formal precursor of (–)–perhydrohistrionicotoxin 203

Dumortier L. Carda M. Van der Eycken J. Snatzke G. and Vandewalle M. Revision of the enantiotoposelective PLE–catalyzed hydrolysis of *cis*–

5–substituted–1,3–diacyloxycycl ohexanes 789

Durst T. see Breau L. 367

El Hallaoui A. see Ouazzani F. 913

Emons C.H.H. Kuster B.F.M. Vekemans J.A.J.M. and **Sheldon R.A.** A new convenient method for the synthesis of chiral C3–synthons 359

Engel K.–H. Lipase–catalyzed enantioselective esterification of 2–methylalkanoic acids 165

Engel W. see Herdeis C. 945

Escalante J. see Juaristi E. 821

Escale F. see Alami A. 175

Fairbanks A.J. see Beacham A.R. 883

Fairbanks A.J. see Bichard C.J.F. 901

Falorni M. Giacomelli G. Marchetti M. Culeddu N. and **Lardicci L.** Chiral ligands containing heteroatoms—VII. An investigation on the stereochemistry of the ketone re– ductions by chiral diamines/tin hydride systems 287

Fang C. Ogawa T. Suemune H. and **Sakai K.** Asymmetric conjugate addition of organacometallic reagents to chiral α,β–unsaturated esters 389

Fantin G. Fogagnolo M. Medici A. Pedrini P. Poli S. Gardini F. and **Guerzoni M.E.** Enantioselectivity in microbial reduction of prochiral carbonyl groups: a wide screening toward *R* and *S* isomers 243

Feaster J.E. see Burk M.J. 569

Feng R. see Zhang S.–q. 173

Feringa B.L. see de Jong J.C. 1247

Feringa B.L. see Jansen J.F.G.A. 109

Feringa B.L. see Lubben M. 775

Fernandez I. see Solladie G. 801

Ferrara L. see Bovara R. 931

Figadere B. see Harmange J.–C. 347

Figueras F. see Cativiela C. 953

Fisch K. see Brunner H. 755

Fleet G.W.J. see Beacham A.R. 883

Fleet G.W.J. see Bichard C.J.F. 901

Fogagnolo M. see Fantin G. 243

Font J. see Alibes R. 1391

Fraile J.M. see Cativiela C. 953

Franzini L. see Rosini C. 363

Frelek J. Snatzke G. and **Szczepek W.J.** Circular dichroism– XCIV. Chiroptical properties of stereoisomeric conjugated oximes–II 381

Fuchs H. see Rettinger K. 965

Fuji K. Tanaka K. Abe H. Itoh A. Node M. Taga T. Miwa Y. and **Shiro M.** Enantioselective construction of highly functionalized bi– cyclo[4.3.0] system through Diels–Alder cycloaddition 1319

Fuji K. Tanaka K. Abe H. Itoh A. Node M. Taga T. Miwa Y. and **Shiro M.** Asymmetric Diels–Alder cycloaddition with chiral 2–alkylsulfinyl–1–nitroalkenes 179

Fujii A. see Takahashi T. 1379

Fujiwara N. see Muraoka O. 357

Furstoss R. see Zhang X. 247

Furuya M. see Kobayashi S. 635

Gadre S.R. see Muljiani Z. 239

Galik G. see Skoda–Foldes R. 633

Garcia J.I. see Cativiela C. 953

Garcia Ruano J.L. see Alonso I. 1193

Gardini F. see Fantin G. 243

Geach N.J. see Craig D. 1177

Gelo M. Raza Z. Sunjic V. Guo J. and **Snatzke G.** Determination of the conformation of *E* and *Z* zearalenone and their 7α, and 7β–hydroxy con– geners 1005

Genet J.P. Mallart S. Pinel C. Juge S. and **Laffitte J.A.** General synthesis of novel chiral ruthenium catalysts and their use in asymmetric hydrogenation 43

Genet J.P. Pinel C. Mallart S. Juge S. Thorimbert S. and **Laffitte J.A.** Asymmetric synthesis. Pratical production of D and L threonine. Dynamic kinetic resolution in rhodium and ruthenium catalyzed hydrogenation of 2–acylamino–3–oxobutyrates 555

Gennari C. Poli G. Scolastico C. and **Vassallo M.** Stereoselective radical–mediated cyclization of norephedrine derived α–iodoamides: experiments and TS–modelling 793

Ghosez L. see Chen L. 1181

Ghosez L. see Gouverneur V. 1173

Giacomelli G. see Falorni M. 287

Gilbert A. Heritage T.W. and **Isaacs N.S.** Asymmetric induction in the Baylis–Hillman reaction 969

Giordano C. and **Restelli A.** New chiral solvating agents: 1,5–benzo– thiazepines 785

Gladiali S. and **Pinna L.** Asymmetric hydroformylation of N–acyl 1–amino– acrylic acid derivatives by rhodium/chiral diphosphine catalysts 623

Goodfellow C.L. see Bromley L.A. 139

Gosmini C. Dubuffet T. Sauvetre R. and **Normant J.–F.** Asymmetric epoxidation of fluorinated allylic alcohols 223

Goti A. Cicchi S. Brandi A. and **Pietrusiewicz K.M.** Nitrone cyclo– additions to 2,3–dihydro–1–oheyl–1*H*–phosphole 1–oxide. Double asymmetric induction and kinetic resolution by a chiral nitrone 1371

Goti A. see Brandi A. 1063

Gourcy J.–G. Dauphin G. and **Jeminet G.** Enzyme–catalysed hydrolysis of the dibutylester of (±) *E,E*–2,8–bishydroxymethyl–1,7–dioxaspiro[5,5]un decane 31

Gouverneur V. Dive G. and **Ghosez L.** Asymmetric Diels–Alder reactions of a nitroso compound derived from D–bornane–10,2–sultam 1173

Grau A.M. see Marco–Contellas J. 961

Green J. see Kabalka G.W. 1283

Guerzoni M.E. see Fantin G. 243

Guingant A. and **Hammami H.**

Synthesis of optically active α,α– di substituted β–keto esters via chiral β–enamino esters 411

Guingant A. An asymmetric synthesis of (*R*)–(+)–2–nonyl–2–(carbo–methoxy)cyclopen– tanone, a known precursor of the antibiotic (–)– malyngolide 415

Guo J. see Gelo M. 1005

Gurjar M.K. see Rama Rao A.V. 255

Hagi T. see Takahashi T. 1379

Hamashima H. see Sawamura M. 595

Hamdani M. De Jeso B. Deleuze H. and **Maillard B.** Derivatives of the product of baker's yeast reduction of ethyl acetoacetate as precursors of free radidal chirons of the 2(*S*)–hydroxypropyl moiety 867

Hamdouchi C. see Solladie G. 457

Hammami H. see Guingant A. 411

Hanson B.E. see Toth I. 91

Harlow R.L. see Burk M.J. 569

Harmange J.–C. Figadere B. and **Hocquemiller R.** Enantiosepecific preparation of the lactone fragment of murisolin 347

Harwood L.M. see Anslow A.S. 1343

Harwood L.M. see Anslow A.S. 169

Harwood L.M. see Anslow A.S. 997

Hayashi M. see Yamamoto M. 403

Hayashi T. Kishi K. and **Uozumi Y.** Catalytic asymmetric elimination forming chiral 1,3–dienes via π–allylpalladium intermediate

Hayashi T. Matsumoto Y. and **Ito Y.** Asymmetric hydro– boration of styrenes catalyzed by cationic chiral phosphine– rhodium(I) complexes 601

Heil B. see Skoda–Foldes R. 633

Heiser B. Broger E.A. and **Crameri Y.** New efficient methods for the synthesis and *in–situ* preparation of ruthenium (II) com– plexes of atropi–someric diphosphines and their application in asymmetric catalytic hydrogenations 51

Helmchen G. see Sartor D. 630

Henin F. see Awandi D. 1101

Herdeis C. and **Engel W.** Synthesis of unnatural 2*R*,5*S*–5–hydroxypipecolic acid via homochiral acyliminium ion–pipecolic acids–III 945

Heritage T.W. see Gilbert A. 969

Herradon B. Efficient synthesis of (*R*)–5– (2– hydroxyethyl)–2(5H)–furanone from (*R*)–malic acid 191

Heumann A. see Chinchilla R. 101

Hida M. see Yamaguchi M. 663

Hitchcock P. see Boussoufi A. 157

Hocquemiller R. see Harmange J.–C. 347

Hoffmann H.M.R. see Kover A. 779

Hoffmann N. and **Scharf H.–D.** Optical resolution of *alltrans*–2,3,4,5–tetramethylcycl open– tanone and deter–mination of the configuration of the laevorotatory enantiomer 977

Hoffmann N. see Buschmann H. 1429

Holland H.L. Manoharan T.S. and **Schweizer F.** Preparation of homochiral chroman–4–ols and thiochroman–4–ols by microbial bio– transformation 335

Hon Y.–S. Chen F.–L. Huang Y.–P. and **Lu T.–J.** 5–Deoxy–5–alkyl–1,2–*O*–isopro pylidene–α–D–xylofu ranoses as chiral auxiliaries in asymmetric 1,4– addition reaction 879

Hondrogiannis G. see Kabalka G.W. 1283

Hori H. see Soai K. 253

Hoyos M.A. see Alonso I. 1193

Huang P.Q. and **Zhou W.S.** Efficient syntheses of a new chiral diene and a new bridgehead enone for a Diels–Alder approach to kaura–9(II)–16– dien–19–oic acid 875

Huang Y.–P. see Hon Y.–S. 879

Hudhomme P. see Boussoufi A. 157

Huffer M. and **Schreier P.** Lipase–catalyzed transesterification in organic solvents: preparation and enantiodifferentiation of optically enriched 4(*S*)–alkylated 1,4(1,5)–olides 1157

Husson H.–P. see Deprez P. 1189

Ichihara O. see Davies S.G. 183

Iguchi M. see Kato N. 763

Irie R. Noda K. Ito Y. Matsumoto N. and **Katsuki T.** Catalytic asymmetric epoxi– dation of un– functionalized olefins using chiral (salen) manganese(III) complexes 481

Isaacs N.S. see Gilbert A. 969

Ito Y. see Hayashi T. 601

Ito Y. see Irie R. 481

Ito Y. see Sawamura M. 595

Itoh A. see Fuji K. 1319

Itoh A. see Fuji K. 179

Iuliano A. see Rosini C. 363

Iwasawa N. see Narasaka K. 1305

Iyer R.R. see Brown H.C. 277

Jacquier R. see Alami A. 175

Jansen C. see Jansen J.F.G.A. 109

Jansen J.F.G.A. Jansen C. Feringa B.L. Asymmetric 1,4–additions to γ–menthyloxybutenolides—II. Enantio– selective synthesis of lignan type com– pounds 109

Janssen M.D. see Lambert F. 1097

Jeminet G. see Gourcy J.–G. 31

Johnston B.D. Morgan B. Oehlschlager A.C. and **Ramaswamy S.** A convenient synthesis of both enantiomers of seudenol and their conversion to 1– methyl–2–cyclo– hexan–1–ol (MCOL) 377

Jones J.B. see Toone E.J. 1041

Jones J.B. see Toone E.J. 207

Jorgensen K.A. A mechanistic approach to the asymmetric epoxidation of allylic alcohols and osmy– lation of alkenes 515

Juaristi E. Rizo B. Natal V. Escalante J. and **Regla I.** Alternative method for the resolution of 1–benzoyl–2–*tert*–butyl–3–meth yl–1,3–imidazolidi n–4–one 821

Juge S. see Genet J.P. 43

Juge S. see Genet J.P. 555

Kabalka G.W. Pagni R.M. Bains

S. Hondrogiannis G. Plesco M. Kurt R. Cox D. and Green J. The effect of alumina of the Diels–Alder reactions of cyclo– pentadiene with menthyl acrylate anbd dimenthyl fumarate 1283

Kagan H.B. see Ronan B. 75

Kamal A. Ramalingam T. and **Venugopal N.** Enantioselective hydrolysis of aryloxypropionic esters by bovine serum albumin: enhancement in selectivity by β–cyclodextrin 39

Kamal A. and **Rao M.V.** Lipase–catalyzed resolution: enantioselective esterification of 2–propanol amines 751

Kaneko C. see Sakaki J. 343

Kanemasa S. Onimura K. Wada E. Tanaka J. 2,2–Dimethyl–4–phenyloxazolid ine and 2,2,–dimethyl–4,5–diphenylimid azolidine as new chiral auxiliaries. Appli– cations to asymmetric nitrile oxide cycloadditions 1185

Kanger T. see Lopp M. 943

Kato N. Iguchi M. and **Kato Y.** Chirality recognition by 1,1'– binaphthyl–2,2'–diyl phosphoryl chloride– determination of configuration of asymmetric carbon atom attached to the hydroxy methylene group 763

Kato Y. see Kato N. 763

Katsuki T. see Irie R. 481

Kawahara M. see Soai K. 253

Kawase Y. see Soai K. 781

Kellog R.M. see Moorlag H. 705

Khan M.M.T. Kureshy R.I. and **Khan N.H.** Synthesis and characterization of Ru(III) chiral Schiff base complexes derived from salicylaldehyde and L–aminoacids 1015

Khan N.H. see Khan M.M.T. 1015

Kim B.H. and **Lee J.Y.** Asymmetric silyl nitronate cyclo– additions with bomane–10,2– sultam derivatives 1359

Kim B.H. Lee J.Y. Kim K. and **Whang D.** Asymmetric induction in silyl nitronate cyclo– additions to Oppolzer's chiral sultam derivatives 27

Kim K. see Kim B.H. 27

Kishi K. see Hayashi T. 195

Kitamura M. see Lubell W.D. 543

Kitano K. see Takahashi T. 1379

Kitazume T. Lin J.T. and **Yamazaki T.** Stereocontrolled synthesis of 4,4,4– trifluorothreonine 235

Kitazume T. see Tsukamoto T. 759

Knotter D.M. see Lambert F. 1097

Kobayashi S. Furuya M. Ohtsubo A. and **Mukaiyama T.** Catalytic asymmetric aldol reaction of the silyl enol ether of acetic acid thioester with aldehydes using chiral tin(II) Lewis acid 635

Koizumi T. see Takahashi T. 1035

Koizumi T. see Takahashi T. 1379

Kollar L. see Skoda–Foldes R. 633

Konopelski J.P. see Negrete G.R. 105

Korber F. see Bailey P.D. 1263

Koshiro K. see Toda F. 873

Kotera M. see Duhamel P. 203

Kotsubo H. see Takahashi T. 1035

Kover A. Schottelius T. and **Hoffmann H.M.R.** Diastereoselective route to enantio– merically pure homoallylic pinene alcohols from myrtenyl bromide and aldehydes 779

Kulkarni D.G. see Sonawane H.R. 251

Kunath A. see Theil F. 1031

Kunesch N. see Lu Y. 871

Kureshy R.I. see Khan M.M.T. 1015

Kurt R. see Kabalka G.W. 1283

Kuster B.F.M. see Emons C.H.H. 359

Laffitte J.A. see Genet J.P. 43

Laffitte J.A. see Genet J.P. 555

Lambert F. Knotter D.M. Janssen M.D. van Klaveren M. Boersma J. and **van Koten G.** On the way to chiral copper(I) arene– thiolate catalysts for the enantioselective conjugate addition of methyl lithium and methyl magnesium iodide to benzyl– ideneacetone 1097

Lambert H. see Sartor D. 630

Langlois Y. and **Pouilhes A.** Captodative α,β– unsaturated oxa– zolines as dienophiles in the asymmetric Diels–Alder reaction 1223

Larcheveque M. see Buisson D. 987

Lardicci L. see Falorni M. 287

Law H. Leclerc G.A. and **Neumeyer J.L.** An efficient and inexpensive resolution of the potent dopaminergic substance 3–(3– hydroxyphenyl)–N–(1–propyl)–p iperidine (±)–3–PPP 989

Leclerc G.A. see Law H. 989

Lee J.Y. see Kim B.H. 1359

Lee J.Y. see Kim B.H. 27

Leitner W. see Brown J.M. 331

Leung P. see Chooi S.Y.M. 981

Levayer F. see Rabiller C. 187

Licini G. see Conte V. 257

Lille U. see Lopp M. 943

Lin J.T. see Kitazume T. 235

Lin X. see Newkome G.R. 957

Lister M.A. see Davies S.G. 1085

Lister M.A. see Davies S.G. 1089

Lopez P. see Cativiela C. 1295

Lopez P. see Cativiela C. 449

Lopez R. and **Carretero J.C.** Synthesis and Diels–Alder reactions of (+)–(S)–1–*t*– butylsulfonyl–1–*p*–tolylsulfinyle the ne, a new masked chiral ketene equivalent 93

Lopp M. Kanger T. Muraus A. Pehk T. and **Lille U.** Synthesis of a novel four–carbon chiron– (*R*)–1–*t*–butyldimethylsilyl)–3,4 –epoxy–bu t–1–yne 943

Lu T.–J. see Hon Y.–S. 879

Lu Y. Miet C. Kunesch N. and **Poisson J.E.** A simple total synthesis of (*S*)–isoserine 871

Lubben M. and **Feringa B.L.** Asymmetric synthesis of β–lactams via amine additions to 5(*R*)–menthyloxy–2[5H]–furano ne 775

Lubell W.D. Kitamura M. and

Noyori R. Enantioselective synthesis of β–amino acids based on BINAP–ruthenium (II) catalyzed enation 543

Maestro C. see Solladie G. 801

Mahindroo V.K. see Brown H.C. 277

Maillard B. see Hamdani M. 867

Mallart S. see Genet J.P. 43

Mallart S. see Genet J.P. 555

Manoharan T.S. see Holland H.L. 335

Marabout B. see Duhamel P. 203

Maran F. see D'Angeli F. 1111

Marchetti M. see Falorni M. 287

Marchetti P. see D'Angeli F. 1111

Marco–Contellas J. Martinez L. and **Grau A.M.** Carbocycles from carbohydrates. A free radical route to (*1R,2R,3S,4R*)–4–amino–1,2,3–cyclo pentanetriol deriva– tives 961

Margolin A.L. see Nieduzak T.D. 113

Marko I.E. see Bailey M. 495

Marotta E. see Rosini G. 123

Martens J. see Wallbaum S. 1093

Martinez L. see Marco–Contellas J. 961

Maruoka K. Banno H. and **Yamamoto H.** Enantioselective activation of ethers by chiral organo– luminum reagents: application to asymmetric Claisen rearrangement 647

Maruyama K. see Naruta Y. 533

Masaki M. see Yamamoto M. 403

Matsuda S. see Toda F. 983

Matsumoto N. see Irie R. 481

Matsumoto Y. see Hayashi T. 601

Mayoral J.A. see Cativiela C. 1295

Mayoral J.A. see Cativiela C. 449

Mayoral J.A. see Cativiela C. 953

McIntosh J.M. and **Cassidy K.C.** Synthesis of a new ketone and alcohol with C2 symmetry; (*S,S,S,S*)tricyclo[6.3.0.0.^{3,7}]unde can–2–one and (*S,S,S,S*) tri– cyclo–[6.3.0.0.3,7] undecan–2–ol 1053

Medici A. see Fantin G. 243

Meou A. see Zhang X. 247

Mesbahi M. see Rabiller C. 187

Miet C. see Lu Y. 871

Mikami K. Sawa E. and **Terada M.** Asymmetric catalysis by chiral titanium perchlorate for carbonyl–free cyclization 1403

Mikami K. Terada M. Motoyama Y. and **Nakai T.** Chiral titanium complex– catalyzed Diels–Alder reaction: a practical route to anthracycline intermediates 643

Mikami K. Terada M. and **Nakai T.** Lanthanide(III) catalyzed aldol reactions of glycer–aldehyde acetonide with ketene silyl acetals: catalytic asymmetric route to monosaccharides 993

Minami T. see Okada Y. 667

Mitra R.B. see Muljiani Z. 239

Miwa Y. see Fuji K. 1319

Miwa Y. see Fuji K. 179

Modak S. see Muljiani Z. 239

Modena G. see Conte V. 257

Momose T. see Muraoka O. 357

Momose T. see Takahara H. 351

Momose T. see Takahata H. 445

Moorlag H. and **Kellog R.M.** PLE Catalyzed hydrolysis of α–substituted α– hydroxy esters: the influence of the substituents 705

Morgan B. see Johnston B.D. 377

Mori K. see Schwab E. 471

Mori R. see Okada Y. 667

Morimoto T. see Sakuraba S. 597

Mortlock A.A. see Davies S.G. 1001

Mosandl A. see Rettinger K. 965

Motoyama Y. see Mikami K. 643

Mukaiyama T. see Kobayashi S. 635

Muljiani Z. Gadre S.R. Modak S. Pathan N. and **Mitra R.B.** Biocatalytic preparation of (*R*)–(–)–1,1,1–trichloro–2–hydroxy–4–methyl–3–p entene, a synthon for potent agricultural pyrethroids 239

Muraoka O. Fujiwara N. Tanabe G. and **Momose T.** First asymmetric synthesis of (–)–sugiresinol dimethyl ether 357

Muraus A. see Lopp M. 943

Muzart J. see Awandi D. 1101

Najera C. see Chinchilla R. 101

Nakai T. see Mikami K. 643

Nakai T. see Mikami K. 993

Nakayama Y. see Okada Y. 667

Nanjundiah B.S. see Sonawane H.R. 251

Narasaka K. Saitou M. and **Iwasawa N.** Asymmetric synthesis of the hydronaph–thalene moieties of mevinic acids 1305

Naruta Y. Tani F. and **Maruyama K.** Enantioselective oxidation of sulfides catalyzed by iron complexes of chiral 'twin coronet' porphyrins 533

Naslund J. and **Welch C.J.** Chiral catalysts in the alkylation of aldehydes with diethyl zinc 1123

Natal V. see Juaristi E. 821

Negrete G.R. Konopelski J.P. Asymmetric alkyla– tions of N–acyl dihydropyrimidinones 105

Neumeyer J.L. see Law H. 989

Nevalainen V. Quantum chemical modeling of chiral catalysis–IV. On the hydride transfer in ketone complexes of borane adducts of oxazaborolidines and regeneration of the catalyst 1133

Nevalainen V. Quantum chemical modeling of chiral catalysis–II. On the origin of enantio–selection in the coordination of carbonyl compounds to borane adducts of chiral oxazaborol–idines 429

Nevalainen V. Quantum chemical modeling of chiral catalysis. On the mechanism of catalytic enantio– selective reduction of carbonyl compounds by chiral oxaza– borolidines 63

Nevalainen V. Quantum chemical modeling of chiral catalysis—III. On the role of a Lewis basic solvent in the

mechanism of catalytic enantio–selective reduction of carbonyl compounds by chiral oxaza–borolidines 827

Newkome G.R. Lin X. and Weis C.D. Polytryptophane terminated dendritic macromolecules 957

Ng S. see Chooi S.Y.M. 981

Nieduzak T.R. and Margolin A.L. Multigram lipase– catalyzed enantio– selective acylation in the synthesis of the four stereoisomers of a new biologically active α–aryl–4–piperidinemethanol derivative 113

Nikitenko A.A. see Raifeld Y.E. 1083

Nishikawa S. see Okada Y. 667

Noda K. see Irie R. 481

Node M. see Fuji K. 1319

Node M. see Fuji K. 179

Nohira H. see Yamamoto M. 403

Normant J.–F. see Gosmini C. 223

Noyori R. see Lubell W.D. 543

Oehlschlager A.C. see Johnston B.D. 377

Ogawa T. see Fang C. 389

Ohlmeyer M.J. see Burgess K. 613

Ohta H. see Sugai T. 371

Ohtsubo A. see Kobayashi S. 635

Okada Y. Minami T. Umezu Y. Nishikawa S. Mori R. and Nakayama Y. Synthesis of a novel type of chiral phos–phinocarboxylic acids. The phos– phine–palladium complexes catalyzed asymmetric allylic alkylation 667

Okamoto S. Yoshino T. and Sato F. A practical synthesis of the w side–chain unit present in mexiprostil and its use for syn–thesis of mexiprostil via two–component coupling process 35

Ollis W.D. see Bailey M. 495

Onimura K. see Kanemasa S. 1185

Ouazzani F. Roumestant M.–L. Viallefont P. and El Hallaoui A. Synthesis of enantio–merically pure phos– phonic analogues of homoserine derivatives 913

Pagni R.M. see Kabalka G.W. 1283

Pan X.–F. see Sun L.–Q. 973

Pathan N. see Muljiani Z. 239

Peach J.M. see Beacham A.R. 883

Pearce L. see Bichard C.J.F. 901

Pedrini P. see Fantin G. 243

Pehk T. see Lopp M. 943

Penfornis A. see Brown E. 339

Pete J.–P. see Awandi D. 1101

Pfaltz A. see von Matt P. 691

Phillips H. see Anslow A.S. 1343

Phillips H. see Anslow A.S. 169

Phillips H. see Anslow A.S. 997

Picconi G. see Baiocchi L. 231

Pietrusiewicz K.M. Zablocka M. Wieczorek W. and Brandi A. Ground state conformation of (–)–*S*–methylphenylvinylphosph ine oxide: a crystallographic and PCMODEL inquiry 419

Pietrusiewicz K.M. see Brandi A. 1063

Pietrusiewicz K.M. see Goti A. 1371

Pilati T. see Annunziata F. 1329

Pinel C. see Genet J.P. 43

Pinel C. see Genet J.P. 555

Pini D. see Rosini C. 363

Pinna L. see Gladiali S. 623

Pires J. see Defoin A. 1209

Pitre D. see Colombo M. 1021

Pittelkow U. see Blaser H.–U. 721

Plesco M. see Kabalka G.W. 1283

Polsson J.E. see Lu Y. 871

Poli G. see Gennari C. 793

Poli S. see Fantin G. 243

Potin D. see Vasconcellos M.L. 353

Pottie M. Van der Eycken J. Vandewalle M. and Roper H. The syn– thesis of optically active derivatives of erythritol 329

Pouilhes A. see Langlois Y. 1223

Pregnolato M. see Bravo P. 1105

Puapoomchareon P. see Schwab E. 471

Quek G.H. see Chooi S.Y.M. 981

Rabilier C. Mesbahi M. and Levayer F. Deuterium magnetic resonance as a probe for organic reaction mechanisms: epoxi–dation of 1(3)– toxylglycerol is a pure SN2 cyclisation 187

Raifeld Y.E. Nikitenko A.A. and Arshava B.M. Compounds of (*i*–PrO)3TiX as novel reagents for regio– selective oxirane ring opening 1083

Raimondi A. see Rosini G. 123

Raimondi L. see Annunziata F. 1329

Rama Rao A.V. Gurjar M.K. and Ashok B. A simple route to the key intermediate of 1β–methylthiena– mycin 255

Ramalingam T. see Kamal A. 39

Ramaswamy S. see Johnston B.D. 377

Ramsden N.G. see Bichard C.J.F. 901

Rao M.V. see Kamal A. 751

Raza Z. see Gelo M. 1005

Reed A. see Bailey P.D. 1263

Regla I. see Juaristi E. 821

Resnati G. see Bravo P. 1105

Restelli A. see Giordano C. 785

Rettinger K. Burschka C. Scheeben P. Fuchs H. and Mosandl A. Chiral 2–alkylbranched acids, esters and alcohols. Preparation and stereospecific flavour evaluation 965

Revial G. see Ambroise L. 407

Revial G. see d'Angelo J. 199

Richards C.J. see Sartor D. 630

Righi P. see Rosini G. 123

Riva S. see Bovara R. 931

Riva S. see Colombo M. 1021

Rizo B. see Juaristi E. 821

Ronan B. and Kagan H.B. Highly

di– astereoselective Diels–Alder reactions with (*R*)–ethoxy *p*–tolyl vinyl sulfonium tetrafluoroborate 75

Roper H. see Pottie M. 329

Rose M. see Alcock N.W. 47

Rose M. see Brown J.M. 331

Rosini C. Franzini L. Iuliano A. Pini D. and **Salvadori P.** Asymmetric alkyla– tion of aromatic aldehydes by diethyl zinc in the presence of (*S*)–N,N,N',N'–tetramethyl–2,2'–diamino–1,1'–binaph thyl 363

Rosini G. Marotta E. Raimondi A. and **Righi P.** Resolution and EPC synthesis of both enantiomers of 2,5–dimethylbicyclo[3.2.0]hepta n–*endo*–2–ol, key intermediate in the synthesis of grandisol 123

Roumestant M.–L. see Alami A. 175

Roumestant M.–L. see Ouazzani F. 913

Royer J. see Deprez P. 1189

Saffrich J. see Sartor D. 630

Salah M. Bessodes M. and **Antonakis K.** An enantiospecific and versatile syn– thesis of statine 111

Saitou M. see Narasaka K. 1305

Sakai K. see Fang C. 389

Sakaki J. Sakoda H. Sugita Y. Sato M. and **Kaneko C.** Lipase–catalyzed asymmetric synthesis of 6–(3–chloro–2–hydroxypropyl)–1,3–dioxin–4–o nes and their conversion to chiral 5,6–epoxy– hexanoates 343

Sakoda H. see Sakaki J. 343

Sakuraba S. Morimoto T. and **Achiwa K.** Correlation of X–ray crystal structures of chiral bisphosphine– rhodium catalysts and the absolute con– figuration of the products resulted by their asymmetric hydrogenations 597

Salvadori P. see Rosini C. 363

Sanner C. see Buisson D. 987

Sartor D. Saffrich J. Helmchen G. Richards C.J. and **Lambert H.** Enantioselective Diels–Alder reactions of enals: fighting species multiplicity of the catalyst with donor solvents 630

Sato F. see Okamoto S. 35

Sato M. see Sakaki J. 343

Saunders J. see Beacham A.R. 883

Sauvetre R. see Gosmini C. 223

Sawa E. see Mikami K. 1403

Sawamura M. Hamashima H. and **Ito Y.** A *trans*–chelating chiral diphosphine ligand: synthesis of 2,2"–bis [1–(diphenylphosphino}–1,1"–bi ferrocene and its complexes with platinum(II) and palladium(II) 595

Sbampato G. see Corte V. 257

Schapohler S. see Bornscheuer U. 1011

Scharf H.–D. see Buschmann H. 1429

Scharf H.–D. see Hoffmann N. 977

Scheeben P. see Rettinger K. 965

Scheper T. see Bornscheuer U. 1011

Schick H. see Theil F. 1031

Schottelius T. see Kover A. 779

Schreier P. see Huffer M. 1157

Schreier P. see Schwab E. 471

Schugerl K. see Bornscheuer U. 1011

Schwab E. Bernreuther A. Puapoomchareon P. Mori K. and **Schreier P.** Stereoselective formation of metabolites from 2–methyl–2–hepten–6–one by *Botrytis cinerea* 471

Schweizer F. see Holland H.L. 335

Scolastico C. see Gennari C. 793

Sevin A.–F. Seyden–Penne J. and **Boubekeur K.** Diastereo– and enantioselective allylic SN' sub–stitution by phenyl– acetic esters enolates 1107

Seyden–Penne J. see Sevin A.–F. 1107

Sheldon R.A. see Emons C.H.H. 359

Shima T. see Yamaguchi M. 663

Shiro M. see Fuji K. 1319

Shiro M. see Fuji K. 179

Shiro M. see Takahashi T. 1379

Siegel C. and **Thornton E.R.** Diels–Alder reactions with dienes bearing a remote stereogenic center. Conformational model for diastereo– facial selectivity 1413

Sim K.Y. see Chooi S.Y.M. 981

Simpkins N.S. see Cox P.J. 1

Sinou D. see Sutowardoyo K.I. 437

Skead B.M. see Beacham A.R. 883

Skerlj R.T. see Burgess V.A. 299

Skoda–Foldes R. Kollar L. Heil B. Galik G. Tuba Z. and **Arcadi A.** A possible way for the introduction of a– and β–formyl– ethyl–substituents into the steroid– skeleton via coupling and carbonylation reactions 633

Snatzke G. see Dumortier L. 789

Snatzke G. see Frelek J. 381

Snatzke G. see Gelo M. 1005

Soai K. Hori H. and **Kawahara M.** Catalytic enantio– selective synthesis of optically active phthalides 253

Soai K. and **Kawase Y.** Asymmetric synthesis of β–hydroxyesters by the enantiose– lective Reformatsky reaction in the presence of chiral aminoalcohols 781

Soai K. and **Watanabe M.** New polymer bound chiral catalyst with methylene spacer for the enantioselective addition of diethyl– zinc to aldehydes 97

Solladie G. Hamdouchi C. and **Ziani–Cherif C.** Asymmetric synthesis of the C–1–C–8 fragment of leuko– triene B4 and C–11–C–20 fragments of leuko– triene B4 and 12 (*S*)–hydroxy–5,8,14 (*Z*,10(*E*)eicosatetra– enoic acid 457

Solladie G. Fernandez I. and **Maestro C.** Asymmetric synthesis of the macrolide (–)–Aspicilin 801

Solladie–Cavallo A. and **Bencheqroun M.**

Diastereoselective reduction of an α– keto–ester derived from (–)–8–phenyl– menthol: a 4–step synthesis of *R*– halostachine analogue 1165

Sonawane H.R. Nanjundiah B.S. Kulkarni D.G. and Ahuja J.R. Stereospecific 1,2– aryl migration in 2–hydroxy alkyl aryl acetals with PPh3/ CC14. Syntheses of optically active Ibuprofen and Naproxen 251

Staton I. see Bailey M. 495

Streith J. see Defoin A. 1209

Suemune H. see Fang C. 389

Sugai T. Watanabe N. and Ohta H. A synthesis of natural α–tocopherol inter– mediate 371

Sugita J. see Takahashi T. 1379

Sugita Y. see Sakaki J. 343

Sun L.–Q. Zhou W.–S. and Pan X.–F. Studies on steroidal plant growth regulators–XXII. Osmium tetroxide catalyzed asymmetric dihydroxylation of the (22*E*,24*R*)– and the (22*E*,24*S*)– 24–alkyl steroidal unsaturated side chain 973

Sunjic V. see Gelo M. 1005

Sutowardoyo K.I. and Sinou D. Ring–opening of glycidyl derivatives by silanes mediated by Ti(0–*i*–Pr)4or A1(0–*i*–Pr)3: access to versatile C3 building blocks 437

Suwinski J. and Szczepankiewicz W. Synthesis of methyl esters of (2*S* or 2*R*) 2–(4–nitro–1–imidazolyl)–alkan ecar– boxylic acids 941

Szczepankiewicz W. see Suwinski J. 941

Szczepek W.J. see Frelek J. 381

Taga T. see Fuji K. 1319

Taga T. see Fuji K. 179

Takahara H. Bandoh H. and Momose T. A chirospecific syn– thesis of an ant venom alkaloid (5*Z*,8*E*)–3–heptyl–5–methylpyrr olizidine 351

Takahashi T. Kotsubo H. and Koizumi T. Enantioselective synthesis of carbo– cyclic showdomycin derivative via asym– metric Diels–Alder reaction of (*Ss*)–3–(2–pyridylsulphinyl)acrylate 1035

Takahashi T. Fujii A. Sugita J. Kitano K. Hagi T. Arai Y. Koizumi T. and Shiro M. Asymmetric 1,3– dipolar cycloaddition of chiral sulphinyl– ethenes with 1–methyl– 3–oxido– pyridinium and some nitrones 1379

Takahata H. Banba Y. and Momose T. The shortest synthesis of optically active Geissman–Waiss lactone, a key syn– thetic intermediate for necine bases 445

Tanabe G. see Muraoka O. 357

Tanaka J. see Kanemasa S. 1185

Tanaka K. see Fuji K. 1319

Tanaka K. see Fuji K. 179

Tanaka K. see Toda F. 873

Tanaka K. see Toda F. 983

Tani F. see Naruta Y. 533

Terada M. see Mikami K. 1403

Terada M. see Mikami K. 643

Terada M. see Mikami K. 993

Theil F. Ballschuh S. Kunath A. and Schick H. Kinetic resolution of rac–3–(2–methylphenoxy)propane–1,2–diol (Mephenesin) by sequential lipase– catalyzed trans–esterification 1031

Thorimbert S. see Genet J.P. 555

Thornton E.R. see Siegel C. 1413

Tissot I. see Defoin A. 1209

Toda F. Tanaka K. and Koshiro K. A new preparative method for optically active diarylcarbinols 573

Toda F. Matsuda S. and Tanaka K. Efficient resolution of secondary alcohols, cyano–hydrins, and glycerol acetals by complex– ation with the host derived from tartaric acid 983

Togni A. Asymmetric allylic alkylation catalyzed by palla–dium–sparteine complexes 683

Toone E.J. and Jones J.B. Enzymes in organic synthesis–L. Probing the dimen– sions of the large hydrophobic binding region of the active side of pig liver es– terase using sub–stituted aryl malonate substrates 1041

Toone E.J. and Jones J.B. Enzymes in organic synthesis XLIX. Resolutions of racemeic monocyclic esters with pig liver esterase 207

Toth I. Hanson B.E. Corrigenda 91

Touet J. see Brown E. 339

Tschamber T. see Defoin A. 1209

Tsukamoto T. Yoshiyama T. and Kitazume T. Enantioselective synthesis of β,β–difluoromalic acid via enzymic resolution of furyl substituted derivative 759

Tuba Z. see Skoda–Foldes R. 633

Umezu Y. see Okada Y. 667

Uozumi Y. see Hayashi T. 195

Valle G. see Conte V. 257

van Bolhuis F. see de Jong J.C. 1247

van der Donk W.A. see Burgess K. 613

Van der Eycken J. see Dumortier L. 789

Van der Eycken J. see Pottie M. 329

van Klaveren M. see Lambert F. 1097

van Koten G. see Lambert F. 1097

Vandewalle M. see Dumortier L. 789

Vandewalle M. see Pottie M. 329

Vassallo M. see Gennari C. 793

Vekemans J.A.J.M. Versleijen J.P.G. and Buck H.M. NADH Model mediated reduction of C=N substrates: enantioselective synthesis of D–and L–phenylglycinates 949

Venkemans J.A.J.M. see Emons C.H.H. 359

Venugopal N. see Kamal A. 39

Versleijen J.P.G. see Vekemans J.A.J.M. 949

Viallefont P. see Alami A. 175

Viallefont P. see Ouazzani F. 913

Viani F. see Arnone A. 399

Vogt K. see Bichard C.J.F. 901

von Matt P. and Pfaltz A. Enantioselective conjugate reduction of α,β–unsaturated

carboxamides with semicorrin cobalt catalysts 691

Wada E. see Kanemasa S. 1185

Waldmann H. Braun M. Drager M. Asymmetric aza Diels–Alder reactions of amino acid ester imines with Brassard's diene 1231

Wallbaum S. and **Martens J.** Enantioselective catalytic reductions of ketones: synthesis and application of a new structurally rigid bicyclic catalyst 1093

Watanabe M. see Soai K. 97

Watanabe N. see Sugai T. 371

Watkin D. see Anslow A.S. 1343

Watkin D. see Anslow A.S. 169

Watkin D. see Anslow A.S. 997

Watkin D.J. see Beacham A.R. 883

Watkin D.J. see Bichard C.J.F. 901

Wei D. see Zhou W.–S. 767

Weis C.D. see Newkome G.R. 957

Welch C.J. The measurement of enantiopurity using phosphorus–NMR 1127

Welch C.J. see Naslund J. 1123

Whang D. see Kim B.H. 27

Wieczorek W. see Pietrusiewicz K.M. 419

Wienand A. see Alcock N.W. 47

Wilson R.D. see Bailey P.D. 1263

Wong L.F. see Anslow A.S. 1343

Xie Z.–F. *Pseudomonas fluorescens* lipase in asymmetric synthesis 733

Yamagishi T. see Yamaguchi M. 663

Yamaguchi M. Shima T. Yamagishi T. and **Hida M.** Palladium–catalyzed asymmetric allylic alkylation using dimethyl malonate and its derivatives as nucleophile 663

Yamamoto H. see Maruoka K. 647

Yamamoto M. Hayashi M. Masaki M. and **Nohira H.** Facile synthesis of (2*R*,3*S*)–3–(4–methoxyphenyl)glycidic esters via optical resolution of the unisolated labile free acid 403

Yamazaki T. see Kitazume T. 235

Yoshino T. see Okamoto S. 35

Yoshiyama T. see Tsukamoto T. 759

Yus M. see Chinchilla R. 101

Zablocka M. see Pietrusiewicz K.M. 419

Zehnder M. see Defoin A. 1209

Zhang S. see Zhang S.–q 173

Zhang S.–q. Zhang S.–y and **Feng R.** A new approach to the synthesis of (–)–2,3–0–isopropylidene–2,3–dihydroxy–1,4–bis(diphenylphosphino)butane(DIOP) 173

Zhang X. Archelas A. Meou A. and **Furstoss R.** Microbiological transformations – XXI. An expedient route to both enantiomers of Marmin and Epoxyauraptens *via* microbiological dihydroxylation of 7–geranyloxycoumarin 247

Zhou W.–S. and **Wei D.** Preparation of optically active α– pyrryl carbinols by kinetic resolution using the modified Sharpless asymmetric epoxidation reagent 767

Zhou W.–S. see Sun L.–Q. 973

Zhou W.S. see Huang P.Q. 875

Ziani–Cherif C. see Solladie G. 457